

Relationship Between Medication Adherence Level and Recovery of Pulmonary Tuberculosis Patients at Gapura Public Health Center Sumenep

by Rini Purbowati

Submission date: 26-Dec-2022 09:07AM (UTC+0700)

Submission ID: 1986602082

File name: 8._COVER_DAN_NASKAH.pdf (622.26K)


Word count: 5082

Character count: 28556

JURNAL ILMIAH KEDOKTERAN

Vol. 12, No. 2, September 2022

Wijaya Kusuma



Diterbitkan oleh:

Universitas Wijaya Kusuma Surabaya
Jl. Dukuh Kupang XXV/54 Surabaya, 60225

Jurnal Ilmiah Kedokteran Wijaya Kusuma

Vol. 11, No. 2, September 2022

Journal Ilmiah Kedokteran Wijaya Kusuma (JIKW) is a journal published twice a year which contains various articles/manuscripts in the following type of research results, literature reviews, case reports, and short communications in the medical field focused on Biomedical Sciences, Clinical Medicine, Public Health Sciences and Medical Education

Advisor : Prof. Dr. Suhartati, dr., MS

Editor in Chief : Dr. Budhi Setiawan, dr., M.Kes

Editor :
1. Ayu Cahyani N., dr., M.KKK
2. Putu Oky Ari Tania, S.Si., M.Si
3. Dr. Masfufatun, S.Si., M.Si
4. Noer Kumala Indahsari, S.Si., M.Si

Assistant Editor : Rachel Nova Durita, S.Kom.

Reviewers :
1. Prof. Dr. Prihatini, dr. Sp.PK (K) (Patologi Klinik /FK Universitas Wijaya Kusuma Surabaya)
2. Prof. Sri Harmadji, dr. SP., THT-KL (THT/ FK Universitas Wijaya Kusuma Surabaya)
3. Prof. Dr. Ketut Suwiyoga, dr., Sp.OG (K) (Kebidanan & Penyakit Kandungan /FK Udayana)
4. Prof. H. Didik Sarudji, M.Sc (IKM/ FK Universitas Wijaya Kusuma Surabaya)
5. Pratika Yuhyi Hernanda, dr., M.Sc., Ph.D (Biomedik/ FK Universitas Wijaya Kusuma Surabaya)
6. Dr. Dra. Dorta Simamora, M.Si (Biomedik/ FK Universitas Wijaya Kusuma Surabaya)
7. Dr. Erny, dr., Sp.A (K) (Ilmu Kesehatan Anak/ FK Universitas Wijaya Kusuma Surabaya)
8. Dr. H. Artha Budi Susila Duarsa, dr., M.Kes (Ilmu Kesehatan Masyarakat FK Univ. Islam Al-Azhar Mataram)
9. Al Munawir, Ph.D., dr., M.Kes. (Patologi Anatomi/ FK Universitas Jember)
10. Prof. Win Darmanto, Ph.D., M.Si, (Biologi/ FST Universitas Airlangga)
11. Dr. Willy Sandhika, dr., M.Si., Sp.PA (K) (Patologi Anatomi/ FK Universitas Airlangga)

12. Ferry Efendi, Ph.D., S.Kep., Ns., M.Sc. (Fakultas Keperawatan/ Universitas Airlangga)
13. Joko Gunawan, Ph.D (Fakultas Keperawatan/ Chulalongkorn University, Bangkok)
14. Prof. Dr. Widji Soeratri, DEA., Apt. (Fakultas Farmasi/ Universitas Airlangga)
15. Erina Yatmasari, dr., M.Kes. (Parasitologi/ FK Universitas Hang Tuah Surabaya)
16. Fitri Handajani, dr., M.Kes. (Biokimia/ FK Universitas Hang Tuah Surabaya)
17. Dr. Handayani, dr., M.Kes (Farmakologi/ FK Universitas Nahdlatul Ulama Surabaya)
18. Brahmaputra Marjadi, Ph.D., dr., MPH (FK Universitas Wijaya Kusuma Surabaya; School of Medicine, Western Sydney University, Australia)
19. Dr. dr. Basuki Supartono, Sp.OT., FICS, MARS (Fakultas Kedokteran UPN Veteran Jakarta, Indonesia)
20. Prof. Dr. dr. Suhartati, MS (Biokimia/ FK Universitas Wijaya Kusuma Surabaya)
21. Dr. Drs. Eko Suhartono, M.Si (Biokimia/ FK Universitas Lambung Mangkurat, Banjarmasin)

Adress : Fakultas Kedokteran UWKS
Gedung C, Lantai 2 (R. 216)
Jl. Dukuh Kupang XXV Surabaya, 60225
Telp (Fax) 031 5686531
Email: jurnalkedokteranuwks@gmail.com
Website: <http://journal.uwks.ac.id/index.php>

PREFACE

Praise and gratitude that the Jurnal Ilmiah kedokteran Wijaya Kusuma (JIKW) Vol. 11, No. 2, September 2022 edition published. This issue contains articles that discuss aspects of Surgery, Pediatric, Neurology, Physiology, Biochemistry, Biomedical Sciences, Pharmacology, and Public Health Sciences, from Original research, Case Reports, as well as literature review.

Jurnal Ilmiah Kedokteran Wijaya Kusuma (JIKW) receive scientific articles from original research¹, reports or case studies, studies or literature reviews, as well as medical science, which are oriented to updating information in medical science and technology. It expected be the sources of scientific information and contributing in overcoming medical problems.

The editors invite various scientists from various higher education and research institutions to provide scientific contributions, both in the form of research results and scientific studies on various topics of Health and Medical Science. We welcoming for critics, inputs from readers, medical professionals, or those related to publishing, for the sake of increasing the quality of the journal as we all hope.

The editor hopes that the scientific articles published in the Jurnal Ilmiah Kedokteran Wijaya Kusuma (JIKW) will be useful for academics, researchers and professionals working in the medical world and network building for researchers.

Editor in Chief

ISSN 1978-2071 (Print); ISSN 2580-5967 (Online)

Jurnal Ilmiah Kedokteran

Wijaya Kusuma

Vol. 11, No. 2, September 2021

DAFTAR ISI	Halaman
Peritoneal Shunt Extraction in Children Using Laparoscopy: A Case Report <i>Arif Kusumo Rahardjo, Yusuf Hermawan, Vita Dwi Wijayanti</i>	105-110
Potency of Ethanol Extract Celery (<i>Apium graveolens L.</i>) Stalk as Anti-Cholesterol Tikus Bunting Diabetes Mellitus <i>I Made Subhawa Harsa, Andiani Andiani, Harsono Wiradinata, Putu Oky Ari Tania</i>	111-115
The Effect of Patin Fish Oil Extract on LDL Cholesterol Levels <i>Rattus norvegicus</i> was Induced by Alloxan <i>Salsabila Yumna Fathony, Fitri Handajani, Indri Ngesti Rahayu</i>	116-124
Increased Levels of Nerve Growth Factor Indicating Brain Injury in Mice Model <i>Prastiya Indra Gunawan, Riza Noviandi, Sunny Mariana Samosir</i>	125-130
Relationship Between Medication Adherence Level and Recovery of Pulmonary Tuberculosis Patients at Gapura Public Health Center Sumenep <i>Maulina Syafakamila, Rini Purbowati</i>	131-137
Literature Study: Effectiveness of Scabies Treatment Using Natural Ingredients <i>Glory Merys Melanesian Nega, Erina Yatmasari, Agustinus Sareh Arjono Tjandra</i>	138-144
A Sago Positive Character: A Systematic Review <i>Budhi Setiawan, Fetriyuna Fetriyuna, Sri Murniani Angelina Letsoin, Ratna Chrismiari Purwestri, Ignasius Radix A.P. Jati</i>	145-155
Dispersion of Carbon Monoxide Pollutant and The Effect of Health (Case Study on Frontage Road Surabaya by Gaussian Line Source Equation Model) <i>Nurachmawati Meindah Sari, R. Azizah, Lilis Sulistyorini, Endrayana Putut Laksminto Emanuel, Emilia Devi Dwi Rianti, Fuad Ama, Sukma Sahadewa, Agusniar Furkani Listyawati, Aly Soekanto, Hardiyono Hardiyono</i>	156-165
The Role of Cytokines in Inflammatory Process of Knee Osteoarthritis: Systematic Review <i>Florencia Christofora Ngantung, Basuki Supartono, Hikmah Muktamiroh</i>	166-170

Literature Study: The Effect of Giving Chitosan Water Gel (Hydrogel) on Healing Diabetic Ulcers Based on In Vivo Studies with Animal Models <i>Zahratul Noreisza Rakhmadi, Erina Yatmasari, Prawesty Diah Utami</i>	171-182
The Impact of Using Gadgets at Early Age on The Brain Development of Infants and Children (Literature Review Article) <i>Erny Erny, Okky Prasetyo, Aly Soekanto</i>	183-191
Erythrocyte Sedimentation Rate and Hemoglobin Levels in Pesticide Poisoning-Farmers <i>Heru Cahjono, Salmon Charles P.T. Siahaan, Ferdinand Aprianto Tannus, Rizki Perdani, Eko Suhartono</i>	192-197

Acknowledgement to Reviewers

The editors of Jurnal Ilmiah Kedokteran Wijaya Kusuma (JIKW) would like to sincerely thank the peer reviewers/Bestari Partners who have reviewed the articles published in the Wijaya Kusuma Medical Scientific Journal Vol. 11, No. 2, September 2022. The following Bestari partners include:

1. Fitri Handayani, dr., M.Kes (Biokimia/ FK Universitas Hang Tuah Surabaya)
2. Brahma Putra Marjadi, Ph.D., dr., MPH FK Universitas Wijaya Kusuma Surabaya; School of Medicine, Western Sydney University, Australia)
3. Dr. dr. Basuki Supartono, Sp.OT., FICS, MARS (Fakultas Kedokteran UPN Veteran Jakarta, Indonesia)
4. Pratika Yuhyi Hernanda, dr., M.Sc., Ph.D (Biomedik/ FK UWKS)
5. Ferry Efendi, Ph.D., S.Kep., Ns., M.Sc (Fakultas Keperawatan/ Universitas Airlangga)
6. Prof. Win Darmanto, PhD., M.Si (Biologi/ FST Universitas Airlangga)
7. Dr. Willy Sandhika, dr., M.Si., Sp.PA (K) (Patologi Anatomi/ FK Universitas Airlangga)
8. Dr. H. Artha Budi Susila Duarsa, dr., M.Kes
9. Joko Gunawan, Ph.D (Fakultas Keperawatan/ Chulalongkorn University, Bangkok)
10. Prof. Dr. dr. Suhartati, MS (Biokimia/ FK Universitas Wijaya Kusuma Surabaya)
11. Prof. H. Didik Sarudji, M.Sc (IKM/ FK Universitas Wijaya Kusuma Surabaya)
12. Dr. Drs. Eko Suhartono, M.Si (Biokimia/ FK Universitas Lambung Mangkurat, Banjarmasin)

pISSN 1978-2071
eISSN 2580-5967
Jurnal Ilmiah Kedokteran
Wijaya Kusuma (JIKW)
Volume 11, No. 2 September
2022

THOR'S AFFILIATIONS

Faculty of Medicine, **Wijaya Kusuma Surabaya University**, East Java, Indonesia¹

Department of Biomolecular, Faculty of Medicine, **Wijaya Kusuma Surabaya University**, East Java, Indonesia²

CORRESPONDING AUTHOR

Rini Purbowati

Department of Biomolecular, Faculty of Medicine, **Wijaya Kusuma Surabaya University**, East

Java, Indonesia

Jl. Dukuh Kupang XXV/54
Surabaya, 60225

E-mail: purbowatirini@gmail.com

Received: 25 March 2022;

Accepted: 12 August 2022;

Published: 30 September 2022

Relationship Between Medication Adherence Level and Recovery of Pulmonary Tuberculosis Patients at Gapura Public Health Center Sumenep

Maulina Syafakamila¹, Rini Purbowati^{2*}

Abstract

Pulmonary tuberculosis is an infectious disease caused by *Mycobacterium tuberculosis* (MTB). Regarding this, Indonesia is ranked second globally in terms of tuberculosis prevalence. TB cases in Sumenep Regency are increasing every year. The high incidence of TB in Sumenep mostly is caused by the patients' lack of adherence to taking medication. The level of compliance in taking drugs can be influenced by several factors including age, educational level, and gender. This study aimed to ascertain the association between medication adherence and recovery in patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep. This study employed an analytical observational design with a cross-sectional approach, utilizing secondary data from medical records and TB.01 treatment cards. The population in this study consisted of 40 individuals. Total sampling is used to choose samples. The study's findings revealed that most patients (62.5%) were male, 37.5% were between the ages of 26-45, 15% were from Gapura Barat, 35% had an elementary school education, and 55% were farmers. As many as 90% of patients adhere to treatment and 87.5% recover. Additionally, statistical tests yielded a p-value of <0.001. The study concludes a correlation between medication adherence and recovery of patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep. It is advised that health personnel maintain as many programs as possible, including counseling, home visits, and remote monitoring via telecommunications.

Keywords: Adherence, Recovery, Tuberculosis Patients, Tuberculosis Treatment

Original Research Article

Hubungan Tingkat Kepatuhan Minum Obat terhadap Kesembuhan Pasien Tuberkulosis Paru Puskesmas Gapura Sumenep

Abstrak

Tuberkulosis paru merupakan penyakit infeksi yang disebabkan oleh kuman *Mycobacterium tuberculosis*. Indonesia berada pada ranking kedua negara dengan kejadian TB terbanyak di dunia. Kasus TB di Kabupaten Sumenep meningkat setiap tahunnya. Tingginya angka kejadian TB di Kabupaten Sumenep disebabkan karena kurang

patuhnya pasien dalam mengkonsumsi obat. Tingkat kepatuhan dalam mengkonsumsi obat dipengaruhi beberapa faktor diantaranya usia, tingkat pendidikan dan jenis kelamin. Tujuan penelitian ini adalah untuk mengetahui hubungan tingkat kepatuhan minum obat terhadap kesembuhan pasien tuberkulosis paru di Puskesmas Gapura Sumenep. Penelitian ini menggunakan jenis penelitian observational analitik menggunakan desain cross sectional dengan menggunakan data sekunder yang berupa data rekam medis dan kartu pengobatan TB.01. Populasi penelitian ini terdiri dari 40 individu. Pemilihan sampel dilakukan dengan metode total sampling. Hasil penelitian berdasarkan data yang

diperoleh menunjukkan bahwa sebagian besar pasien berjenis kelamin laki-laki yaitu 62,5%, umur 26-45 tahun yaitu 37,5%, berasal dari Gapura Barat yaitu 15%, pendidikan SD yaitu 35% dan pekerjaan sebagai petani yaitu 55%. Jumlah pasien patuh berobat yaitu 90% dan yang tidak yaitu 87,5% dan dari hasil uji statistik diperoleh nilai $p < 0,015$. Kesimpulan dalam penelitian ini adalah ada hubungan tingkat Kepatuhan minum obat terhadap kesembuhan pasien tuberkulosis

paru Puskesmas Gapura Sumenep. Disarankan kepada tenaga kesehatan untuk tetap melanjutkan program-program seperti penyuluhan, kunjungan ke rumah pasien dan pemantauan melalui telekomunikasi secara berkala dengan maksimal.

Kata Kunci: Kepatuhan, Kesembuhan, Pasien Tuberkulosis, Pengobatan TB

INTRODUCTION

Pulmonary tuberculosis is an infectious disease caused by *Mycobacterium tuberculosis* that affects the lung parenchyma (Versitaria and Kusnoputranto, 2014). According to the Ministry of Health in 2018, tuberculosis is one of the ten deadliest diseases and the primary cause of infectious infections, referencing a WHO report. India, Indonesia, China, the Philippines, and Pakistan were countries with the highest tuberculosis prevalence globally (Indah, 2018). Based on the Dashboard TB Ministry of Health, there were 443,235 tuberculosis cases reported in Indonesia in 2021. In 2018, the incidence of pulmonary tuberculosis increased in East Java, making this province ranked first in Indonesia with 98,566 cases of pulmonary tuberculosis (Basic Health Research, 2018). The increasing annual cases of pulmonary tuberculosis were also reported in Sumenep Regency, Madura. According to Basic Health Regency 2018, there were 2,709 pulmonary tuberculosis cases in Sumenep Regency that year (Basic Health Research, 2018). The high prevalence of tuberculosis in Sumenep Regency might result from patients' failure to adhere to drug programs due to a lack of awareness about the risks of tuberculosis and the significance of taking antituberculosis drugs (Syamsuri, 2018). Adherence to medication programs can be influenced by a variety of factors, including age, educational level, and gender. Education correlates with knowledge, a poor level of education results in a person's lack of understanding about tuberculosis and the importance of taking Anti Tuberculosis Drugs for 6 months consistently until treatment is complete. This results in a person being disobedient when consuming antituberculosis drugs, which harms the recovery rate of tuberculosis patients (Widiyanto, 2017).

Numerous factors influence the tuberculosis cure rate, including age, education level, occupation, and patient adherence to treatment (Widiyanto, 2017). Adherence is an attitude manifested as a response that occurs when a person is confronted with a stimulus that requires a response or action (Lubis and Panjaitan, 2020). Compliance with antituberculosis drugs is a critical component in the recovery of tuberculosis patients. This study aimed to ascertain the correlation between medication adherence and recovery in patients with pulmonary tuberculosis at the Gapura Health Center Sumenep in 2021.

25 MATERIAL AND METHODS

This study employed an analytical observational design with a cross-sectional approach. The population in this study consisted of 40 individuals who got 23 month treatment for pulmonary tuberculosis at the Gapura Public Health Center Sumenep in 2021, so the total sampling sample in the study was 40 patients with pulmonary tuberculosis. The inclusion criteria in this study were pulmonary tuberculosis patients who underwent 6 months of treatment (January 2021-December 2021), category 1 primary pulmonary tuberculosis patients of male and female sex aged ≥ 16 years, pulmonary tuberculosis patients who underwent OAT treatment with a dose of appropriate, patients who live in the working area of the Gapura Sumenep Health Center. While the exclusion criteria in this study were all pulmonary tuberculosis patients belonging to category 2, patients who experienced drug side effects and did not take any of the OATs, pulmonary tuberculosis patients accompanied by other chronic diseases, and children aged < 15 years.

Secondary data were collected in this study using TB.01 treatment cards and medical records.

The independent variable in this study is the level of adherence to taking medication for pulmonary tuberculosis patients. The dependent variable in this study is the cure rate of pulmonary tuberculosis patients. The analysis employed in this study is univariate analysis, which entails determining the frequency distribution and percentage of existing variables, and bivariate analysis, which entails determining the relationship between two variables (Lubis and Panjaitan, 2020).

This research has received ethical approval from the Health Research Ethics Commission,

Faculty of Medicine, Wijaya Kusuma University Surabaya with No.75/SLE/FK/UW/34/2021. The data that has been obtained will be analyzed using the chi-square test and the fisher exact test for those who do not meet the test requirements, followed by the contingency test to determine the strength of the relationship using the SPSS Statistic 26 software. The relationship between the independent variable and the dependent variable is obtained if the p-value is obtained with significant results ≤ 0.05 .

RESULT

Table 1. Respondent Characteristics

Respondent Characteristics	Cases		
	N	%	
Gender			
Male	25	62,5	Mandala
Female	15	37,5	Panganan
Age			
16-25	9	22,5	Poja
26-45	15	37,5	Adherence Level
46-65	9	22,5	Adhere
>65	7	17,5	Not Adhere
Domicile			
Andulang	3	7,5	Recovery Level
Baban	3	7,5	Recovered
Banjar Barat	2	5	Not Recovered
Banjar Timur	2	5	Educational Level
Batu Putih	1	2,5	No Education
Beraji	3	7,5	Elementary School
Gapura Barat	6	15	Middle School
Gapura Tengah	5	12,5	High School
Gapura Timur	3	7,5	Vocational/Undergraduate
Gersik Putih	2	5	School
Grujugan	2	5	Occupation
Longos	4	10	Lecturer
			Housewife

According to Table 1, 25 male respondents (62.5%) compared to 15 female respondents (37.5%). Respondents aged 26-45 years have the largest proportion of 15 people (37.5%), while respondents aged > 65 years have the lowest proportion of 7 people (17.5%). Most respondents (15%) came from Gapura Barat Village, while the least came from three regions, namely Batu Putih, Mandala, and Poja, each with one person (2.5%). There are 36 more respondents who adhere (90%), while there are 4 respondents who do not adhere (10%). According

to Figure 5, the number of respondents who recovered was 35 (87.5%), while the number of respondents who did not recover was 5 (12.5%). Respondents with the last elementary school education represent the most respondents (14 persons, or 35%). In contrast, respondents with the last high school education stand for the least respondents (2 people, or 5%). The majority of respondents (22 persons, or 55%) work as farmers, while the least number of respondents (1 person) work as lecturers (2.5%).

23

Table 2. Distribution of Respondents Based on Adherence and Recovery of Pulmonary Tuberculosis Patients at the Gapura Public Health Center Sumenep in 2021

Adherence	Recovery				23		p-value	R
	Recovered		Not Recovered		Total	%		
	F	%	F	%	F	%		
Adhere	35	87,5	1	2,5	36	90	0,000	0,661
Not Adhere	0	0	4	10	4	10		
Total	35	87,5	5	12,5	40	100		

19

Table 3. Respondent Characteristics and Medication Adherence of Pulmonary Tuberculosis Patients at the Gapura Public Health Center Sumenep in 2021

Respondent Characteristics	Adherence						p-value	R
	Adhere		Not Adhere		Total	%		
	f	%	F	%	F	%		
Education Level								
No Education-Middle School	30	75,0	4	10,0	34	85,0	1,000	0,139
High School-Vocational/Undergraduate School	6	15,0	0	6	6	15,0		
Age								
16-45	23	57,5	1	2,5	24	60,0	0,283	0,232
>46	13	32,5	3	7,5	16	40,0		
Occupation								
Employed	21	52,5	2	5,0	23	57,5	1,000	0,051
Unemployed	15	37,5	2	5,0	17	42,5		
Gender								
Male	23	57,5	2	5,0	25	62,5	0,622	0,086
Female	13	32,5	2	5,0	15	37,5		

According to Table 2, 36 people (90%) recovered, 35 people (87.5%) did not, and 1 person (2.5%) died. Four persons (10%) did not adhere to taking pulmonary tuberculosis medications, with 0 people (0%) recovering and 4 people (10%) failing to recover. The chi-square test resulted in a p-value of 0.05, indicating that adherence was correlated with the recovery of pulmonary tuberculosis patients at the Gapura Public Health Center Sumenep in 2021. Additionally, $r = 0.661$ was obtained using the contingency test, indicating that the relationship is strong.

According to Table 3, respondents with an education level of less than high school who are obedient to treatment total 30 persons (75.0%), whereas those who are not obedient to treatment total 4 (10.0%). Six respondents (15.0%) with a high school education up to vocational/undergraduate school adhere to treatment, while 0 do not (0.0%). The chi-square test showed a p-value > 0.05 , indicating that education had no

significant relationship with medication adherence among pulmonary tuberculosis patients at the Gapura Public Health Center Sumenep in 2021. Additionally, $r = 0.139$ was obtained using the contingency test, indicating no relationship between the two variables. Respondents aged 16-45 years who adhere to treatment are 23 people (57.5%) and 1 person was not (2.5%). Thirteen respondents aged > 46 years adhered to treatment (32.5%), and 3 respondents did not adhere to treatment (7.5%). The chi-square test resulted in a p-value > 0.05 , indicating that age had no significant relationship with medication adherence of pulmonary tuberculosis patients at the Gapura Public Health Center Sumenep in 2021. Additionally, $r = 0.232$ was obtained using the contingency test, indicating no association between those two variables. Respondents who work (farmers and lecturers) adhere to treatment 21 people (52.5%) and 2 do not (5.0%). Meanwhile, respondents who do not work (housewives, college students, and students)

are 15 people (37.5%) who adhere to treatment, and 26 persons do not adhere to treatment (5.0%). The chi-square test showed a p-value > 0.05, indicating no significant relationship between education and medication adherence of pulmonary tuberculosis patients at the Gapura Public Health Center Sumenep in 2021. Additionally, the contingency test suggests that $r = 0.051$, indicates no relationship between those two variables. 23 male respondents (57.5%) are compliant with treatment, and 2 do not comply with the treatment (5.0%). There are 13 respondents of the female who adhered to treatment (21.5%) and 2 respondents who did not (5.0%). The chi-square test resulted in a p-value > 0.05, indicating that gender had no significant relationship with medication adherence of pulmonary tuberculosis patients at the Gapura Public Health Center Sumenep in 2021. Then, using the contingency test, $r = 0.086$ was determined, indicating no relationship between the two variables.

DISCUSSION

According to a study on adherence among pulmonary tuberculosis patients at the Gapura Public Health Center, Sumenep, the obedient category had the most significant proportion of adherence with 36 people (90%). This is consistent with a study undertaken at the Aek Kanopan Health Center in North Labuhanbatu Regency (Lubis and Panjaitan, 2020). According to data from medical records and TB.01 treatment cards, researchers discovered that patients with a high level of education and occupation did not always have a high degree of adherence. The study on patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep revealed that 35 individuals recovered (87.5%). This is consistent with a study undertaken at the Aek Kanopan Health Center in North Labuhanbatu Regency (Lubis and Panjaitan, 2020). A patient is reported to be recovered from pulmonary tuberculosis if he/she has had complete treatment for 6 months and has had sputum re-examined with negative results following 6 months of treatment (Minister of Health, 2016).

The study's findings addressing the relationship between medication adherence and recovery of patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep in 2021 indicated that the chi-square test showed a

significant value of (p) 0.000 with (α) = 5%. Because $p \leq 0.05$, H_0 is rejected, indicating a relationship between medication adherence and recovery in patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep in 2021. The contingency test analysis revealed an r-value of 0.661, indicating a strong correlation between these variables. A patient's personality can influence medication adherence, precisely their motivation to recover (Carole Wade, 2016). Patients who do not adhere to treatment will have their antituberculosis medications discontinued. This will enhance the high prevalence of bacterial resistance to MTB and need increased expenses and treatment duration (Prihantana and Wahyuningsih, 2016).

The results of this study support those of (Wibisana, 2017) at Haji Adam Malik Hospital, Medan ($p = 0.0001$) and (Munthe, 2019) at Kuala Public Health Center in Langkat Regency ($p = 0.000$). Both studies demonstrate a relationship between medication adherence and recovery in patients with pulmonary tuberculosis. This study, however, contradicts research conducted by (Manunggal et al., 2015) at the BKPM Semarang Region, which found no significant relationship between medication adherence and recovery in pulmonary tuberculosis patients with a p-value of 0.109. This is because the patient's adherence to medicine is not accompanied by the availability of pharmaceuticals at the same time, resulting in a disrupted or non-routine medication schedule.

The study's findings on the relationship between education level and medication adherence in patients with pulmonary tuberculosis indicated that the chi-square test had a significant value of (p) 1,000 and (α) = 5%. Because $p > 0.05$, H_1 is rejected, indicating no relationship between education level and medication adherence among patients with pulmonary tuberculosis at the Gapura Public Health Center Sumenep in 2021. The contingency test analysis resulted in an r-value of 0.139, indicating that there is no correlation between the two variables. According to the cross-tabulation data, significantly more respondents adhered to treatment with education below high school, up to 30 people (75.0%). Researchers discovered that individuals with a high level of education did not always have a high level of adherence, using data from medical records and TB.01 treatment cards. This, however, can be influenced by the

respondents' understanding of the importance of adhering to the advice offered by healthcare workers.

This finding confirms studies conducted by Supriano (2018) at the Malang City Public Health Center ($p = 0.264$), which found no correlation between education and antituberculosis medication adherence. However, this study contradicts research conducted by (Absor et al., 2020) in the Lamongan Regency between January 2016 and December 2018 ($p = 0.026$), which correlated education level and medication adherence for pulmonary tuberculosis patients. This is because patients with a low level of education are less likely to seek treatment. They believe, that whether they seek treatment or do not seek treatment, the outcome will be the same.

The study's findings addressing the relationship between gender and medication adherence in patients with pulmonary tuberculosis indicated that the chi-square test showed a significant value (p) of 0.622 with (α) = 5%. Because $p > 0.05$, H1 is rejected, indicating no relationship between gender and medication adherence for pulmonary tuberculosis patients at the Gapura Health Center Sumenep in 2021. The contingency test analysis yielded an r-value of 0.086, indicating no relationship between the two variables. According to the cross-tabulation results, 23 male respondents (57.5%) adhere to treatment, and 2 persons do not adhere to treatment (5.0%). While 13 female respondents (32.5%) adhere to treatment and 2 persons do not (5.0%). Based on data from medical records and a tuberculosis treatment card TB.01, it is clear that the respondents, both male, and female, had similar levels of adherence to taking pulmonary tuberculosis medications.

This result confirms previous research by (Dewanty, Haryanti and Kurniawan 2016) at the Nguntoronadi I Public Health Center in Wonogiri Regency ($p = 1,000$), which concluded that there was no correlation between gender and antituberculosis medication adherence. However, this study contradicts research conducted at the Jember Pulmonary Hospital (Primadiah, 2012) that found a relationship between gender and adherence to treatment for pulmonary tuberculosis patients ($p = 0.028$). This is because men are more disobedient when it comes to drug use than women, and men are more active and neglect their health.

CONCLUSION AND SUGGESTION

The conclusion of this study there is a significant relationship between medication adherence and patient recovery at the Gapura Health Center Sumenep in 2021. The study suggests that health care workers enhance the use of programs such as counseling, home visits, and remote monitoring via telecommunications.

7

REFERENCES

- Absor, S. et al. (2020). *Hubungan Tingkat Pendidikan dengan Kepatuhan Berobat Penderita TB Paru di Wilayah Kabupaten Lamongan pada Januari 2016–Desember 2018*. Medica Arteriana (Med-Art). 2(2). pp. 80–87. 2
- Asnati, A. et al. (2021). Motivasi Kesembuhan dengan Kepatuhan Minum Obat pada Pasien Tb Paru. *Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal*. 11(2): 461–468.
- Budianto, A. and Inggi, R. H. (2015). *Usia dan Pendidikan Berhubungan dengan Perilaku Kepatuhan Minum Obat Pada Penderita Tb Paru*. *Jurnal Ilmiah Kesehatan*. 4(8).
- Fadilah, N. (2017). *Hubungan Karakteristik Pengawas Menelan Obat Terhadap Kepatuhan Berobat Pasien Tuberkulosis di Puskes121is Pragaan Tahun 2016*. *Jurnal Unair*. 5(3).
- Hunter, R. L. (2018). *The pathogenesis of tuberculosis: the early infiltrate of post-primary (adult pulmonary) tuberculosis: a distinct disease entity*. Frontiers in immunology. 9. p. 2108.
- Katiandagho, D., Fione, V. R. and Sambuaga, J. (2018). Hubungan Merokok Dengan Kejadian TB Paru Di Wilayah Kerja Puskesmas Tatelu Kecamatan Dimembe. in *PROSIDING Seminar Nasional Tahun 2018 ISBN: 2549-0931*. pp. 582–593.
- Lubis, M. and Panjaitan, M. (2020). Hubungan Kepatuhan Pasien untuk Minum Obat Dengan Kesembuhan Pasien TB-Paru Di Puskesmas Aek Kanopan Kabupaten Labuhanbatu Utara. *Jurnal ilmiah Binalita Sudama Medan*. 5(1): 9–15.
- Mahfuzhah, I. (2014). Gambaran faktor risiko penderita TB paru berdasarkan status gizi dan pendidikan di RSUD Dokter Soedarso. *Jurnal Mahasiswa PSPD FK Universitas*

- Tanjungpura. 1(1).
- Manunggal, Y. A. J. et al. (2015). *The Correlation Between The Obedience in Medical Treatment on Patients with Pulmonary TB Healing at BPKM Semarang.*
- Munthe, S. D. B. (2019). Hubungan Kepatuhan Minum Obat Pasien TB Paru dengan Tingkat Kesembuhan di Puskesmas Kuala Langkat. *Skripsi.* Institut Kesehatan Helvetia, Medan.
- Nurkumalasari, N., Wahyuni, D. and Ningsih, N. (2016). Hubungan karakteristik penderita tuberkulosis paru dengan hasil pemeriksaan dahak di Kabupaten Ogan Ilir. *Jurnal Keperawatan Sriwijaya.* 3(2): 51–55.
- Paramani, N. P. (2013). Hubungan Dukungan PMO dengan Kepatuhan Berobat Pasien Tuberkulosis Paru di Puskesmas Limboto Kabupaten Gorontalo Tahun 2013. *Skripsi.*
- Prihantana, A. S. and Wahyuningsih, S. S. (2016). Hubungan pengetahuan dengan tingkat kepatuhan pengobatan pada pasien tuberkulosis di RSUD Dr. Soehadi Prijonegoro Sragen. *Jurnal Farmasi Sains dan Praktis.* 2(1): 46–52.
- Versitaria, H. U. and Kusnoputranto, H. (2011). *Tuberkulosis Paru di Palembang Sumatera Selatan. Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal).* 5(5): 234–240.
- Wibisana, S. N. (2017). Hubungan Kepatuhan Terapi TB Paru Terhadap Tingkat Kesembuhan Penderita TB Paru Primer di RSUP Haji Adam Malik Medan Tahun 2016. *Skripsi.* Universitas Sumatera Utara, Medan.
- Widiyanto, A. (2017). Hubungan Kepatuhan Minum Obat dengan Kesembuhan Pasien Tuberkulosis Paru BTA Positif di Puskesmas Delanggu Kabupaten Klaten. *Interest: Jurnal Ilmu Kesehatan.* 6(1): 7–12.
- Yuniar, I., Sarwono, S. and Astuti, S. (2017). *Pengaruh PMO dan Dukungan Keluarga Terhadap Tingkat Kepatuhan Minum Obat TB Paru di Puskesmas Sempor 1 Kebumen.* URECOL. pp. 357–364.

Relationship Between Medication Adherence Level and Recovery of Pulmonary Tuberculosis Patients at Gapura Public Health Center Sumenep

ORIGINALITY REPORT



PRIMARY SOURCES

1	ejournal.nusamandiri.ac.id Internet Source	2%
2	journal.stikeskendal.ac.id Internet Source	1 %
3	eudl.eu Internet Source	1 %
4	repository.helvetia.ac.id Internet Source	1 %
5	Submitted to Universitas Mahasarawati Denpasar Student Paper	1 %
6	repository.um-surabaya.ac.id Internet Source	1 %
7	ejurnal.poltekkesjakarta3.ac.id Internet Source	1 %
8	repository.stikeselisabethmedan.ac.id Internet Source	1 %

9	repository.urecol.org Internet Source	1 %
10	ijrrjournal.com Internet Source	1 %
11	newinera.com Internet Source	1 %
12	Submitted to Georgia Military College Student Paper	1 %
13	ejurnalmalahayati.ac.id Internet Source	1 %
14	jurnal.poltekkeskupang.ac.id Internet Source	1 %
15	erepository.uwks.ac.id Internet Source	<1 %
16	www.jpda.com.pk Internet Source	<1 %
17	E Joeniarti, S Purwanti, S Hidayati, N Nurlina. "Mixed formula of neem leaves extract and curcumin as botanical insecticides for sustainable agriculture", Journal of Physics: Conference Series, 2020 Publication	<1 %
18	ojs.uma.ac.id Internet Source	<1 %

- 19 Christine Vita Gloria, Zulmeliza Rasyid, Sherly Vermita W, Elmia Kursani, Bizanti Umayyah. "Determinan Kepatuhan Minum Obat Pasien Tuberkulosis Paru", Jurnal Kesmas Asclepius, 2019
Publication
-
- 20 digilib.unila.ac.id <1 %
Internet Source
-
- 21 pubs.geoscienceworld.org <1 %
Internet Source
-
- 22 repository.upnvj.ac.id <1 %
Internet Source
-
- 23 "Enhancing Capacity of Healthcare Scholars and professionals in Responding to the Global Health Issues", Walter de Gruyter GmbH, 2019
Publication
-
- 24 id.wikipedia.org <1 %
Internet Source
-
- 25 core.ac.uk <1 %
Internet Source
-
- 26 repository.ung.ac.id <1 %
Internet Source
-
- 27 Submitted to Sriwijaya University <1 %
Student Paper
-
- 28 e-journal.unair.ac.id <1 %
Internet Source

<1 %

-
- 29 Septiyani Putri, La Ode Alifariki, Fitriani Fitriani, Mubarak Mubarak. "The Role of Medication Observer And Compliance In Medication Of Pulmonary Tuberculosis Patient", Jurnal Kesehatan Prima, 2020
Publication <1 %
-
- 30 jssidoi.org Internet Source <1 %
-
- 31 www.mysciencework.com Internet Source <1 %
-
- 32 Nita Yunianti Ratnasari, Putri Halimu Husna, Marni Marni, Susana Nurtanti, Tantut Susanto. "Adherence to medication behavior among tuberculosis patients and their affecting factors: a cross-sectional study at Public Health Center of Wonogiri District, Indonesia", Frontiers of Nursing, 2020
Publication <1 %
-
- 33 jmk.stikesmitrakeluarga.ac.id Internet Source <1 %
-
- 34 www.frontiersin.org Internet Source <1 %
-
- 35 www.medicopublication.com Internet Source <1 %
-

36	hdl.handle.net	<1 %
Internet Source		
37	hub.hku.hk	<1 %
Internet Source		
38	prosiding.umy.ac.id	<1 %
Internet Source		
39	repository.stikeskepanjen-pemkabmalang.ac.id:8080	<1 %
Internet Source		
40	Dwi Murtono. "GAMBARAN KEJADIAN TUBERKULOSIS DI KABUPATEN PATI", Jurnal Litbang: Media Informasi Penelitian, Pengembangan dan IPTEK, 2017	<1 %
Publication		
41	stikespanakkukang.ac.id	<1 %
Internet Source		
42	jurnal.unimus.ac.id	<1 %
Internet Source		
43	proceeding.poltekkeskupang.ac.id	<1 %
Internet Source		
44	www.businessperspectives.org	<1 %
Internet Source		
45	Evi Supriatun, Uswatun Insani. "Intervensi Health Coaching dalam Meningkatkan Pengetahuan dan Sikap Pencegahan	<1 %

Penularan Tuberkulosis", Jurnal Keperawatan Silampari, 2021

Publication

-
- 46 Nike Puspita Alwi, Ainil Fitri, Ririn Ambarita. "HUBUNGAN MOTIVASI DENGAN KEPATUHAN MINUM OBAT ANTI TUBERKULOSIS (OAT) PADA PASIEN TUBERKULOSIS", Jurnal Keperawatan Abdurrah, 2021 <1 %
Publication
-
- 47 Wachid Zaenuddin, Fajar Hairul. "TINGKAT PENGETAHUAN AKSEPTOR DROP OUT TENTANG ALAT KONTRASEPSI DI DESA SUBOH KECAMATAN SUBOH KABUPATEN SITUBONDO", Nurse and Health: Jurnal Keperawatan, 2016 <1 %
Publication
-
- 48 jurnal.unej.ac.id <1 %
Internet Source
-
- 49 Kartikasari Masting, Muhammad Syafar, Andi Yusuf. "Determinan Sosial Kesehatan Terhadap Kepatuhan Pengobatan Dots Penderita Tb Paru", Jurnal Ilmiah Kesehatan Sandi Husada, 2021 <1 %
Publication
-
- 50 Novalin Wakim, Milla Evelianti Saputri, Milya Helen. "Analysis Of Smoking Behavioral Factors In Adolescents During Covid-19" <1 %

Pandemic In Aru Islands Maluku", Journal Of Nursing Practice, 2021

Publication

Exclude quotes Off

Exclude bibliography Off

Exclude matches Off