

---LAMPIRAN---

Lampiran 1 Hasil Kuisisioner

Variabel X1

Responden	X1.1	X1.2	X1.3	X1.4	X1.T
1	3	4	4	3	14
2	4	4	4	4	16
3	3	4	4	4	15
4	4	4	4	4	16
5	4	4	4	4	16
6	4	4	4	4	16
7	4	4	4	4	16
8	4	4	4	4	16
9	4	4	4	4	16
10	4	4	4	4	16
11	4	4	4	4	16
12	4	4	4	4	16
13	4	4	4	4	16
14	4	4	4	4	16
15	4	4	4	4	16
16	4	4	4	4	16
17	4	3	3	4	14
18	4	4	4	4	16
19	4	4	4	4	16
20	4	4	4	3	15
21	4	4	4	3	15
22	4	4	4	4	16
23	4	3	3	4	14
24	3	3	3	4	13
25	4	4	4	4	16
26	4	4	4	4	16
27	4	4	4	4	16
28	4	4	4	4	16
29	4	3	3	4	14
30	4	3	3	4	14
31	4	3	3	3	13
32	3	4	4	3	14
33	3	4	4	3	14
34	3	4	4	3	14
35	3	3	3	3	12
36	4	2	2	1	9

37	4	4	4	2	14
38	4	4	4	1	13
39	4	4	4	3	15
40	4	4	4	4	16
41	4	4	4	4	16
42	4	4	4	4	16
43	3	4	4	4	15
44	3	4	4	3	14
45	3	4	4	3	14
46	4	4	4	3	15
47	4	4	4	2	14
48	4	3	3	4	14
49	2	1	1	1	5
50	4	4	4	4	16
51	4	3	3	4	14
52	4	4	4	4	16
53	2	4	4	4	14
54	3	4	4	4	15
55	4	4	4	4	16
56	4	2	2	1	9
57	4	4	4	2	14
58	4	4	4	4	16
59	4	4	4	4	16
60	4	4	4	4	16
61	3	3	3	2	11
62	3	3	3	2	11

Variabel X2

RESPONDEN	X2.1	X2.2	X2.3	X2.4	X2T
1	4	2	4	4	14
2	4	4	4	4	16
3	4	4	4	4	16
4	2	4	2	4	12
5	4	3	3	4	14
6	4	4	1	4	13
7	4	4	4	4	16
8	2	4	4	4	14
9	4	3	4	4	15
10	4	2	2	4	12
11	4	2	2	4	12
12	2	4	4	4	14
13	4	4	4	4	16
14	4	4	4	4	16
15	4	2	4	4	14
16	3	3	4	4	14
17	4	2	4	4	14
18	4	4	4	4	16
19	4	4	4	4	16
20	4	4	4	4	16
21	4	3	4	4	15
22	4	2	4	4	14
23	4	4	4	4	16
24	4	4	4	4	16
25	4	4	4	4	16
26	4	2	4	4	14
27	4	3	4	4	15
28	4	4	4	4	16
29	4	4	1	1	10
30	4	4	4	2	14
31	4	3	4	3	14
32	4	1	4	3	12
33	4	4	4	4	16
34	1	4	4	4	13
35	4	4	4	4	16
36	4	4	4	4	16
37	4	4	4	4	16

38	2	4	4	4	14
39	4	4	4	4	16
40	4	4	4	4	16
41	4	4	4	4	16
42	2	4	4	4	14
43	4	4	4	4	16
44	4	4	4	4	16
45	4	4	4	4	16
46	4	4	4	4	16
47	4	4	4	4	16
48	4	4	4	4	16
49	4	4	4	4	16
50	4	4	4	4	16
51	4	4	4	4	16
52	4	4	4	4	16
53	4	4	4	4	16
54	4	4	4	2	14
55	3	3	3	2	11
56	3	4	4	4	15
57	2	4	4	4	14
58	4	4	4	4	16
59	4	3	2	2	11
60	4	2	3	2	11
61	3	3	3	3	12
62	3	3	3	3	12

Variabel X3

Responden	X3.1	X3.2	X3.3	X3T
1	4	2	4	10
2	4	4	4	12
3	4	4	4	12
4	2	4	2	8
5	4	3	3	10
6	4	4	1	9
7	4	4	4	12
8	2	4	4	10
9	4	3	4	11
10	4	2	2	8
11	4	2	2	8
12	2	4	4	10
13	4	4	4	12
14	4	4	4	12
15	4	2	4	10
16	3	3	4	10
17	4	2	4	10
18	4	4	4	12
19	4	4	4	12
20	4	4	4	12
21	4	3	4	11
22	4	2	4	10
23	4	4	4	12
24	4	4	4	12
25	4	4	4	12
26	4	2	4	10
27	4	3	4	11
28	4	4	4	12
29	4	4	1	9
30	4	4	4	12
31	4	3	4	11
32	4	1	4	9
33	4	4	4	12
34	1	4	4	9
35	4	4	4	12
36	4	4	4	12

37	4	4	4	12
38	2	4	4	10
39	4	4	4	12
40	4	4	4	12
41	4	4	4	12
42	2	4	4	10
43	4	4	4	12
44	4	4	4	12
45	4	4	4	12
46	4	4	4	12
47	4	4	4	12
48	4	4	4	12
49	4	4	4	12
50	4	4	4	12
51	4	4	4	12
52	4	4	4	12
53	4	4	4	12
54	4	4	4	12
55	3	3	3	9
56	3	4	4	11
57	2	4	4	10
58	4	4	4	12
59	4	3	2	9
60	4	2	3	9
61	3	3	3	9
62	3	3	3	9

Variabel X4

Responden	X4.1	X4.2	X4.3	X4.4	X4.5	X4T
1	4	4	4	4	4	20
2	4	3	4	4	4	19
3	4	4	4	4	4	20
4	4	4	4	4	4	20
5	3	4	3	3	3	16
6	4	4	4	4	4	20
7	4	3	4	4	4	19
8	4	4	4	4	4	20
9	4	4	4	4	2	18
10	3	4	4	4	4	19
11	3	4	4	4	4	19
12	4	4	3	4	4	19
13	4	4	4	4	4	20
14	4	4	4	4	4	20
15	4	4	4	4	4	20
16	3	4	4	3	3	17
17	4	3	3	4	4	18
18	4	4	4	4	4	20
19	4	4	4	4	4	20
20	4	4	4	4	4	20
21	4	4	4	4	4	20
22	4	4	4	3	3	18
23	4	3	3	3	4	17
24	4	4	4	4	4	20
25	4	4	4	4	4	20
26	3	4	4	4	4	19
27	4	4	4	4	3	19
28	4	3	3	3	4	17
29	4	4	4	4	4	20
30	3	4	4	4	4	19
31	3	4	4	4	4	19
32	4	4	4	4	4	20
33	4	4	4	4	4	20
34	4	4	4	4	4	20
35	4	4	4	4	4	20
36	3	3	3	4	3	16

37	4	4	4	3	4	19
38	4	4	4	4	4	20
39	4	4	4	4	4	20
40	4	4	4	4	4	20
41	4	4	4	4	4	20
42	4	4	4	4	4	20
43	4	4	4	4	4	20
44	4	4	4	4	4	20
45	4	4	4	4	4	20
46	4	4	4	4	4	20
47	4	4	4	4	4	20
48	3	4	3	3	3	16
49	4	3	4	4	4	19
50	4	4	4	4	4	20
51	4	4	4	4	4	20
52	4	4	1	4	4	17
53	4	4	4	4	4	20
54	4	4	4	4	4	20
55	4	4	4	4	3	19
56	3	4	4	4	4	19
57	4	4	4	4	4	20
58	4	3	3	3	4	17
59	4	4	4	4	4	20
60	4	4	4	4	4	20
61	4	4	4	4	4	20
62	4	4	4	4	4	20

Variabel Y

Responden	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10	Y11	Y12	Y13	Y14	YT
1	4	4	4	4	4	3	3	3	4	3	3	4	4	4	51
2	4	4	4	4	4	4	4	4	4	4	4	4	4	1	53
3	4	4	3	4	4	3	4	4	4	4	4	4	4	3	53
4	4	4	3	4	4	3	4	4	3	4	3	4	4	3	51
5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	42
6	3	4	4	3	4	4	3	3	3	3	3	3	3	3	46
7	3	3	4	3	4	4	4	4	4	4	4	3	3	4	51
8	4	3	3	4	4	4	4	4	4	4	4	4	4	4	54
9	4	3	4	4	4	4	4	4	3	4	3	4	4	3	52
10	3	4	4	4	4	4	4	4	4	4	3	3	3	3	51
11	4	4	4	4	4	3	3	3	4	3	4	3	3	4	50
12	4	4	4	3	4	4	3	3	3	3	4	4	4	4	51
13	4	4	4	4	4	4	3	3	4	3	4	4	4	4	53
14	4	4	4	4	3	4	3	3	4	3	4	4	4	1	49
15	3	3	4	4	4	4	3	3	4	3	4	4	4	4	51
16	4	4	3	4	4	4	3	3	4	3	4	4	4	4	52
17	3	4	4	3	4	4	4	4	4	4	3	3	3	4	51
18	4	4	4	4	4	3	3	3	4	3	2	4	4	4	50
19	4	3	4	4	3	4	4	4	3	4	4	4	4	4	53
20	4	3	3	4	3	4	4	4	4	4	3	4	4	3	51
21	3	3	3	3	3	4	4	4	3	4	3	4	4	3	48
22	3	3	3	2	2	2	2	2	3	2	2	3	3	2	34
23	4	3	3	2	2	3	4	4	3	4	3	4	4	3	46
24	4	4	4	4	4	4	4	4	3	4	4	4	4	3	54
25	4	4	4	4	4	4	4	4	3	4	4	4	4	2	53
26	4	4	4	3	4	4	4	4	3	4	4	4	4	2	52
27	4	4	4	3	4	4	3	3	3	3	4	4	4	3	50
28	3	4	4	3	3	3	4	4	4	4	3	3	3	4	49
29	4	3	3	3	4	4	4	4	4	4	4	4	4	2	51
30	4	4	4	2	4	4	4	4	4	4	4	4	4	2	52
31	4	4	4	2	4	4	2	2	4	2	3	4	4	4	47
32	2	4	4	2	2	3	3	3	4	3	3	4	4	4	45
33	3	4	3	2	3	3	4	4	4	4	3	4	4	4	49
34	1	1	1	1	1	1	1	1	4	1	3	4	4	4	28
35	4	4	3	4	3	4	3	3	4	3	4	4	4	4	51
36	4	1	1	4	1	4	1	1	1	1	3	1	1	1	25

37	4	2	2	4	3	4	2	2	2	2	3	3	3	3	39
38	4	2	2	4	2	4	2	2	2	2	2	4	4	2	38
39	3	4	4	3	4	3	4	4	4	4	3	4	4	4	52
40	4	4	4	4	4	4	4	4	2	4	3	4	4	3	52
41	4	4	4	4	4	4	4	4	4	4	3	4	4	4	55
42	4	4	4	4	4	4	4	4	2	4	2	3	3	2	48
43	3	3	3	3	3	3	3	3	4	3	4	4	4	4	47
44	3	3	3	3	3	3	3	3	3	3	3	4	4	3	44
45	3	3	4	4	4	3	4	4	3	4	3	4	4	3	50
46	3	3	4	4	4	3	4	4	4	4	4	4	4	4	53
47	3	3	4	4	3	3	4	4	4	4	2	3	3	3	47
48	4	3	4	4	3	1	4	4	3	4	1	3	3	3	44
49	4	3	3	3	3	4	3	3	3	3	4	3	3	4	46
50	4	3	3	4	3	4	4	4	3	4	4	4	4	4	52
51	2	3	3	4	3	3	4	4	3	4	4	4	4	4	49
52	4	2	3	4	3	3	4	4	4	4	4	4	4	4	51
53	4	3	3	3	4	3	4	4	4	4	4	4	4	4	52
54	4	4	3	3	4	3	3	3	4	3	4	4	4	4	50
55	4	4	3	3	4	3	3	3	4	3	4	4	4	4	50
56	3	4	4	3	4	3	3	3	4	3	3	3	3	3	46
57	4	4	4	3	3	3	3	3	4	3	4	4	4	4	50
58	4	3	4	4	4	4	3	3	4	3	4	4	4	4	52
59	4	4	4	4	4	4	3	3	4	3	4	4	4	4	53
60	4	4	4	4	4	4	4	4	4	4	4	2	2	2	50
61	4	4	4	4	4	4	4	4	4	4	3	3	3	3	52
62	4	4	4	4	4	4	3	3	4	3	4	4	4	4	53

Lampiran 2 Hasil Uji Validitas

Variabel X1

		Correlations				
		X1.1	X1.2	X1.3	X1.4	X1.T
X1.1	Pearson Correlation	1	1.000**	.770**	.449**	.840**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	62	62	62	62	62
X1.2	Pearson Correlation	1.000**	1	.770**	.449**	.840**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	62	62	62	62	62
X1.3	Pearson Correlation	.770**	.770**	1	.450**	.812**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	62	62	62	62	62
X1.4	Pearson Correlation	.449**	.449**	.450**	1	.751**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	62	62	62	62	62
X1.T	Pearson Correlation	.840**	.840**	.812**	.751**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	62	62	62	62	62

** . Correlation is significant at the 0.01 level (2-tailed).

Variabel X2

		Correlations				
		X2.1	X2.2	X2.3	X2.4	X2.T
X2.1	Pearson Correlation	1	1.000**	.202	.186	.563**
	Sig. (2-tailed)		.000	.116	.148	.000
	N	62	62	62	62	62
X2.2	Pearson Correlation	1.000**	1	.202	.186	.563**
	Sig. (2-tailed)	.000		.116	.148	.000
	N	62	62	62	62	62
X2.3	Pearson Correlation	.202	.202	1	.450**	.726**
	Sig. (2-tailed)	.116	.116		.000	.000
	N	62	62	62	62	62
X2.4	Pearson Correlation	.186	.186	.450**	1	.668**
	Sig. (2-tailed)	.148	.148	.000		.000
	N	62	62	62	62	62
X2.T	Pearson Correlation	.563**	.563**	.726**	.668**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	62	62	62	62	62

** . Correlation is significant at the 0.01 level (2-tailed).

Variabel X3

Correlations

		X3.1	X3.2	X3.3	X3.T
X3.1	Pearson Correlation	1	1.000**	.770**	.763**
	Sig. (2-tailed)		.000	.000	.000
	N	62	62	62	62
X3.2	Pearson Correlation	1.000**	1	.770**	.763**
	Sig. (2-tailed)	.000		.000	.000
	N	62	62	62	62
X3.3	Pearson Correlation	.770**	.770**	1	.799**
	Sig. (2-tailed)	.000	.000		.000
	N	62	62	62	62
X3.T	Pearson Correlation	.763**	.763**	.799**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	62	62	62	62

** Correlation is significant at the 0.01 level (2-tailed).

Variabel X4

Correlations

		X4.1	X4.2	X4.3	X4.4	X4.5	X4.T
X4.1	Pearson Correlation	1	.283*	.283*	.224	.283*	.521**
	Sig. (2-tailed)		.026	.026	.081	.026	.000
	N	62	62	62	62	62	62
X4.2	Pearson Correlation	.283*	1	1.000**	.345**	1.000**	.941**
	Sig. (2-tailed)	.026		.000	.006	.000	.000
	N	62	62	62	62	62	62
X4.3	Pearson Correlation	.283*	1.000**	1	.345**	1.000**	.941**
	Sig. (2-tailed)	.026	.000		.006	.000	.000
	N	62	62	62	62	62	62
X4.4	Pearson Correlation	.224	.345**	.345**	1	.345**	.554**
	Sig. (2-tailed)	.081	.006	.006		.006	.000
	N	62	62	62	62	62	62
X4.5	Pearson Correlation	.283*	1.000**	1.000**	.345**	1	.941**
	Sig. (2-tailed)	.026	.000	.000	.006		.000
	N	62	62	62	62	62	62
X4.T	Pearson Correlation	.521**	.941**	.941**	.554**	.941**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	62	62	62	62	62	62

* Correlation is significant at the 0.05 level (2-tailed).

** Correlation is significant at the 0.01 level (2-tailed).

Hasil Uji Validitas Y

Correlations

		Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10	Y11	Y12	Y13	Y14	YT
Y1	Pearson Correlation	1	.273 [*]	.179	.482 ^{**}	.392 ^{**}	.482 ^{**}	.159	.159	-.134	.159	.205	.055	.055	-.207	.396 ^{**}
	Sig. (2-tailed)		.032	.163	.000	.002	.000	.216	.216	.300	.216	.109	.674	.674	.107	.001
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y2	Pearson Correlation	.273 [*]	1	.740 ^{**}	.071	.682 ^{**}	.255 [*]	.402 ^{**}	.402 ^{**}	.400 ^{**}	.402 ^{**}	.178	.225	.225	.098	.678 ^{**}
	Sig. (2-tailed)	.032		.000	.586	.000	.045	.001	.001	.001	.001	.167	.079	.079	.449	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y3	Pearson Correlation	.179	.740 ^{**}	1	.216	.688 ^{**}	.246	.528 ^{**}	.528 ^{**}	.361 ^{**}	.528 ^{**}	.080	.154	.154	.104	.705 ^{**}
	Sig. (2-tailed)	.163	.000		.092	.000	.054	.000	.000	.004	.000	.536	.234	.234	.420	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y4	Pearson Correlation	.482 ^{**}	.071	.216	1	.362 ^{**}	.383 ^{**}	.285 [*]	.285 [*]	-.142	.285 [*]	.084	-.073	-.073	-.105	.390 ^{**}
	Sig. (2-tailed)	.000	.586	.092		.004	.002	.025	.025	.271	.025	.514	.571	.571	.419	.002
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y5	Pearson Correlation	.392 ^{**}	.682 ^{**}	.688 ^{**}	.362 ^{**}	1	.402 ^{**}	.509 ^{**}	.509 ^{**}	.356 ^{**}	.509 ^{**}	.329 ^{**}	.241	.241	.154	.810 ^{**}
	Sig. (2-tailed)	.002	.000	.000	.004		.001	.000	.000	.005	.000	.009	.059	.059	.231	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y6	Pearson Correlation	.482 ^{**}	.255 [*]	.246	.383 ^{**}	.402 ^{**}	1	.171	.171	-.136	.171	.414 ^{**}	.000	.000	-.188	.418 ^{**}
	Sig. (2-tailed)	.000	.045	.054	.002	.001		.183	.183	.293	.183	.001	1.000	1.000	.142	.001
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y7	Pearson Correlation	.159	.402 ^{**}	.528 ^{**}	.285 [*]	.509 ^{**}	.171	1	1.000 ^{**}	.221	1.000 ^{**}	.119	.221	.221	.018	.751 ^{**}
	Sig. (2-tailed)	.216	.001	.000	.025	.000	.183		.000	.084	.000	.356	.084	.084	.887	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y8	Pearson Correlation	.159	.402 ^{**}	.528 ^{**}	.285 [*]	.509 ^{**}	.171	1.000 ^{**}	1	.221	1.000 ^{**}	.119	.221	.221	.018	.751 ^{**}
	Sig. (2-tailed)	.216	.001	.000	.025	.000	.183	.000		.084	.000	.356	.084	.084	.887	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y9	Pearson Correlation	-.134	.400 ^{**}	.361 ^{**}	-.142	.356 ^{**}	-.136	.221	.221	1	.221	.334 ^{**}	.330 ^{**}	.330 ^{**}	.450 ^{**}	.485 ^{**}
	Sig. (2-tailed)	.300	.001	.004	.271	.005	.293	.084	.084		.084	.008	.009	.009	.000	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y10	Pearson Correlation	.159	.402 ^{**}	.528 ^{**}	.285 [*]	.509 ^{**}	.171	1.000 ^{**}	1.000 ^{**}	.221	1	.119	.221	.221	.018	.751 ^{**}
	Sig. (2-tailed)	.216	.001	.000	.025	.000	.183	.000	.000	.084		.356	.084	.084	.887	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y11	Pearson Correlation	.205	.178	.080	.084	.329 ^{**}	.414 ^{**}	.119	.119	.334 ^{**}	.119	1	.312 [*]	.312 [*]	.204	.471 ^{**}
	Sig. (2-tailed)	.109	.167	.536	.514	.009	.001	.356	.356	.008	.356		.013	.013	.113	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y12	Pearson Correlation	.055	.225	.154	-.073	.241	.000	.221	.221	.330 ^{**}	.221	.312 [*]	1	1.000 ^{**}	.340 ^{**}	.506 ^{**}
	Sig. (2-tailed)	.674	.079	.234	.571	.059	1.000	.084	.084	.009	.084	.013		.000	.007	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y13	Pearson Correlation	.055	.225	.154	-.073	.241	.000	.221	.221	.330 ^{**}	.221	.312 [*]	1.000 ^{**}	1	.340 ^{**}	.506 ^{**}
	Sig. (2-tailed)	.674	.079	.234	.571	.059	1.000	.084	.084	.009	.084	.013	.000		.007	.000
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
Y14	Pearson Correlation	-.207	.098	.104	-.105	.154	-.188	.018	.018	.450 ^{**}	.018	.204	.340 ^{**}	.340 ^{**}	1	.299 [*]
	Sig. (2-tailed)	.107	.449	.420	.419	.231	.142	.887	.887	.000	.887	.113	.007	.007		.018
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
YT	Pearson Correlation	.396 ^{**}	.678 ^{**}	.705 ^{**}	.390 ^{**}	.810 ^{**}	.418 ^{**}	.751 ^{**}	.751 ^{**}	.485 ^{**}	.751 ^{**}	.471 ^{**}	.506 ^{**}	.506 ^{**}	.299 [*]	1
	Sig. (2-tailed)	.001	.000	.000	.002	.000	.001	.000	.000	.000	.000	.000	.000	.000	.018	
	N	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62

*. Correlation is significant at the 0.05 level (2-tailed).

** Correlation is significant at the 0.01 level (2-tailed).

Lampiran 3 Hasil Uji Realibilitas

Variabel X1

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.859	.880	4

Variabel X2

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.709	.702	4

Variabel X3

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.944	.943	3

Variabel X4

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.848	.839	5

Hasil Uji Realibilitas Y

Reliability Statistics		
Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.836	.837	14

Lampiran 3 Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		62
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	4.85790736
Most Extreme Differences	Absolute	.136
	Positive	.127
	Negative	-.136
Test Statistic		.136
Asymp. Sig. (2-tailed)		.06 ^c

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.


HASIL MULTIKOLINERITAS

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.343	11.324		.560	.578		
	X1	2.235	.667	.795	3.352	.001	.227	4.409
	X2	.064	.384	.019	.166	.869	.993	1.007
	X3	-1.682	.722	-.551	-2.331	.023	.228	4.392
	X4	1.451	.432	.383	3.356	.001	.976	1.024

a. Dependent Variable: Y

Hasil Uji Heteroskedastisitas



Lampiran 5 hasil Uji Deskriptif

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1	62	5	16	14.60	2.068
X2	62	10	16	14.63	1.681
X3	62	8	12	10.90	1.327
X4	62	16	20	19.26	1.173
Y	62	9	53	12.06	5.350
Valid N (listwise)	62				

Lampiran 6 Hasil Uji Regresi Linier Berganda

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.343	11.324		.560	.578		
	X1	2.235	.667	.795	3.352	.001	.227	4.409
	X2	.064	.384	.019	.166	.020	.993	1.007
	X3	-1.682	.722	-.551	-2.331	.023	.228	4.392
	X4	1.451	.432	.383	3.356	.001	.976	1.024

a. Dependent Variable: Y

Lampiran 7 Hasil Uji T

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.343	11.324		.560	.578		
	X1	2.235	.667	.795	3.352	.001	.227	4.409
	X2	.064	.384	.019	.166	.020	.993	1.007
	X3	-1.682	.722	-.551	-2.331	.023	.228	4.392
	X4	1.451	.432	.383	3.356	.001	.976	1.024

a. Dependent Variable: Y

Lampiran 8 Hasil Uji F

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	541.284	4	135.321	5.358	.001 ^b
	Residual	1439.555	57	25.255		
	Total	1980.839	61			

a. Dependent Variable: Y

b. Predictors: (Constant), X4, X3, X2, X1