

CASTELLATED STEEL BEAMS EFFICIENCY BY TOPOLOGY OPTIMIZATION

by Andaryati Andaryati

Submission date: 08-Jun-2023 02:58PM (UTC+0700)

Submission ID: 2111620527

File name: 2022_CiViLLa_Maretpdf (3.48M)

Word count: 1791

Character count: 10166




CIVILLA

Jurnal Teknik Sipil Universitas Islam Lamongan



P-ISSN : 2503-2399
E-ISSN : 2620-7222

VOLUME 7 NO.1 March 2022



Diterbitkan Lembaga Penelitian & Pengkajian Teknologi (LP2T)
Fakultas Teknik Universitas Islam Lamongan
Jl. Veteran No. 53 A Lamongan Jawa Timur
[Http://Journal.Unisla.ac.id](http://Journal.Unisla.ac.id)

Editorial Team

Editor in Chief

Nur Azizah Affandy, ST.MT, (SCOPUS ID : 57194649378) Universitas Islam Lamongan, Indonesia

Associate Editor

Isna Pratiwi, S.T., M.Ars., (SINTA ID : 6732391)Universitas Negeri Semarang, Indonesia

Dr. Astiah Amir, (SCOPUS ID: 6732391)Universitas Teuku Umar, Indonesia

Prof. Zainura Zainon Noor, (SCOPUS ID : 54393957000) Centre for Environmental Sustainability and Water (IPASA), Universiti Teknologi Malaysia, Malaysia

Dr. Eko Noerhayati, (SCOPUS ID : 57202853349) Universitas Islam Malang, Indonesia

Achendri M. Kurniawan, S.Pd, S.T., M.T, Civil Engineering Department, Politeknik Negeri Malang, Indonesia

Dr. I Gusti Lanang Eratodi ,ST., MT., (SCOPUS ID :57193520214) Civil Engineering Department, Engineering and Informatic Faculty, Universitas Pendidikan Nasional, Indonesia

Dr. Ir. Very Dermawan, ST., MT., (SCOPUS ID : 57190389285)Civil Engineering Department, Water Resources Engineering, Engineering Faculty, Universitas Brawijaya, Indonesia

Dr. Novitasari, ST., MT., (SCOPUS ID : 57200364809), Civil Engineering Department, Engineering Faculty, Universitas Lambung Mangkurat, Indonesia

Andiyan S.T.,M.T, Civil Engineering Department, Universitas Falatehan, Indonesia

International Editorial Board

Prof. Bambang Suryatmono, Ph.D., (SCOPUS ID : 6506669277) Civil Engineering Department, Faculty of Engineering, Parahyangan Catholic University, Indonesia

Prof. Dr. Drs. Waluyo Hatmoko, M.Sc., (SCOPUS ID :55745318000) Civil Engineering Department, Ministry of Public Works and Housing, Indonesia

Dr. Suliman Badawi Mohamed .Eng, (SCOPUS ID : 55838805700) Department of Civil Engineering, Alzaiem Alazhary University, Sudan

Dr. Yi-Shang Shiu, (SCOPUS ID : 48762072900) Civil Engineering Department, Urban Planning and Spatial Information, Associate Professor, Feng Chia University, Taiwan, Province of China

Peer-Reviewer

Dr. Eny Kusumawati, S.Pd., M.Pd, (SCOPUS ID: 57212061604) Teknik Mekatronika, Departemen Mekanika dan Energi, Politeknik Elektronika Negeri Surabaya, Indonesia

Dr. Suliman Badawi Mohamed .Eng, (SCOPUS ID : 55838805700) Department of Civil Engineering, Alzaïem Alazhary University, Sudan

Dr. Ir. Very Dermawan, ST., MT., (SCOPUS ID : 57190389285)Civil Engineering Department, Water Resources Engineering, Engineering Faculty, Universitas Brawijaya, Indonesia

Dr. Novitasari, ST., MT., (SCOPUS ID : 57200364809), Civil Engineering Department, Engineering Faculty, Universitas Lambung Mangkurat, Indonesia

Agata Iwan Candra., MT, (SCOPUS ID : 57218369367)Civil Engineering Department, Engineering Faculty, Kadiri University, Indonesia

Andiyan S.T.,M.T, Civil Engineering Department, Universitas Falatehan, Indonesia

Subaidillah Fansuri, S.T, MT, (SCOPUS ID : 57218214339) Universitas Wiraraja, Indonesia

Dr. Remi Cornelis, ST., MT, Program Studi Teknik Sipil, FST, Universitas Nusa Cendana, Indonesia

Vivi Ariani, S.Pd., M.T, Quantity Surveyiny Departement, Engineering Faculty, Universitas Bung Hatta, Indonesia

Dwi Desharyanto, ST.,MT, (SCOPUS ID: 57218213906) Wiraraja University, Indonesia

Prof. Bambang Suryoatmono, Ph.D., (SCOPUS ID : 6506669277) Civil Engineering Department, Faculty of Engineering, Parahyangan Catholic University, Indonesia

Dr. I Gusti Lanang Eratodi ,ST., MT., (SCOPUS ID :57193520214) Civil Engineering Department, Engineering and Informatic Faculty, Universitas Pendidikan Nasional, Indonesia

Dr. Faisal Estu Yulianto, ST., MT., (SCOPUS ID : 57190837909) Universitas Madura, Indonesia

Prof. Dr. Drs. Waluyo Hatmoko, M.Sc., (SCOPUS ID :55745318000) Civil Engineering Department, Ministry of Public Works and Housing, Indonesia

Prof. Eelco Van Beek, (SCOPUS ID : 56573665900) Deltares - University of Twente, Netherlands

Prof. Mohammed Taleb Obaidat, Civil Engineering Department, President of Jadara University, Irbid., Jordan

Prof. Ir. I Nyoman Arya Thanaya, ME, Ph.D., (SCOPUS ID : 26665175500)Civil Engineering Department Udayana University-Bali, Indonesia

Prof. Dr. Ir. Nadjadji Anwar, M.Sc., PU-SDA, ACPE, (SCOPUS ID : 54681539100) Civil Engineering Department, Faculty of Civil, Planning and Geo Engineering, Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia

Prof. Dr. Ir. Muhammad Saleh Pallu, M.Eng, (SCOPUS ID : 57200364809) Civil Engineering Department, Engineering Faculty, Universitas Hasanuddin, Indonesia

Prof. Dr. Zulkifli Yusop, (SCOPUS ID: 6507841909)Civil Engineering Department, Centre for Sustainable Environment and Water Security, Universiti Teknologi Malaysia, Malaysia

Prof. Hidayat Sugihardjo, (SCOPUS ID : 56527217100) Civil Engineering Department, Institut Teknologi Sepuluh Nopember, Indonesia

Dr. Yi-Shang Shiu, (SCOPUS ID : 48762072900) Civil Engineering Department, Urban Planning and Spatial Information, Associate Professor, Feng Chia University, Taiwan, Province of China

Dr. Ir. Erniati Bachtiar, ST., MT., (SCOPUS ID: 56568222900) Civil Engineering Department, Engineering Faculty, Universitas Fajar, Indonesia

Dr. Ir. Runi Asmaranto, ST., MT., (SCOPUS ID : 26665175500) Civil Engineering Department, Water resources Engineering Fakultas Teknik Universitas Brawijaya, Indonesia

Dr. I Wayan Yasa, ST., MT., (SCOPUS ID : 57204058293) Civil Engineering Department, Engineering Faculty, Mataram, Indonesia, Indonesia

Dr. Ir. Minarni Nur Trilita, MT., (SCOPUS ID : 57189689992) Civil Engineering Department, Universitas Pembangunan Nasional Veteran Jawa Timur, Indonesia

Dr. Dian Noorvy Khaerudin, ST., MT., (SCOPUS ID : 57193628562) Civil Engineering Department, Engineering Faculty, Tribhuwana Tungadewi University, Indonesia

Dr. Entin Hidayah, (SCOPUS ID : 55354325800) Civil Engineering Department, Engineering Faculty, Universitas Jember, Indonesia

Dr. F.X. Suryadi, (SCOPUS ID : 8366748600) Civil Engineering Department, Land and Water Management Department, IHE Delft, The Netherlands, Netherlands

Dr. I Nyoman D. Pahang Putra, ST., MT., (SCOPUS ID : 56695321600) Civil Engineering Department, Engineering Faculty, Universitas Pembangunan Nasional Veteran Jawa Timur, Indonesia

Dr. Jauhar Fajrin, ST., MSc(Eng)., Ph.D, (SCOPUS ID : 39161278200) Civil Engineering Department, Faculty of Engineering, Mataram University, Indonesia

Dr. Sugeng Dwi Hartantyo, ST. MT., (SINTA ID : 6020963) Civil Engineering Department, Universitas Islam Lamongan, Indonesia

Dr. Zulkifli Lubis, ST. MT., (SINTA ID : 6053915) Civil Engineering Department, Universitas Islam Lamongan, Indonesia

Anita Intan Nura Diana, ST., MT., (SCOPUS ID : 57218214789) Civil Engineering Department, Universitas Wiraraja, Indonesia

Vol 7, No 1 (2022)

March

Table of Contents

Jurnal CIVILA

An Easy Way To Determine The Flexural Quality Of Asphalt Is Using ASTM D113 – 07 and SNI 2432:2011 PDF 1-12

Surya Pratama, Andri Dwi Cahyono, Candra Dwi Saputra, Lina Budi Lestari, Puput Buqin Laso, Febynia Ananda Putri, Puji Rahayu Febyningtyas

Determination Of The Zero Point Of Building Construction In Area C Of Kadiri University With Polygon Mapping PDF 13-24

Wiwit Mely Yanti Jannah, Zendy Bima Mahardana, Rama Putra Nugraha, Onie Wardani, Miya Setiyo Asih, Dwi Irin Mariana, Dodi Setiawan

Analysis of Development Planning for Infrastructure with Land Consolidation Concept in the Mandalika Special Economic Zone (SEZ) PDF 25-34

Baiq Elny Susanti, Ngudiyono Ngudiyono, Muhajirah Muhajirah

Effect of Adding Fly Ash and Rice Husk Ash on Compressive Strength to Meet the $f_c'35$ MPa Concrete Quality PDF 35-46

Mardiaman Mardiaman, Hikma Dewita

Split Tensile Strength of Self Compacting Concrete with Artificial Lightweight Aggregate PDF 47-56

Dhiafah Hera Darayani

Risk Analysis of Surabaya – Bojonegoro Highway Improvement Project Based on Fuzzy Logic PDF 57-64

Nova Nevila Rodhi

Theoretical and Experimental Analysis of Concrete Stress-Strain with Artificial Coarse Aggregates and Steel Fibers PDF 65-76

Meity Wulandari

Maximum Utilization of Cocopeat Waste as a Substitute Material for Fine Aggregates On Paving Blocks Was Engineered PDF 77-86

Dwi Kurniati

Analysis of the Causes of Road Damage PDF 87-96

Edison Hatoguan Manurung, Kasimir Sawito, Aryo Satoto, Nurbaya Tuanany

Castellated Steel Beams Efficiency by Topology Optimization PDF 97-106

Andaryati Ruseno, Yoki Triwahyudi



Available online at
<https://jurnalteknik.unisla.ac.id/index.php/CVL>

 <https://doi.org/10.30736/cvl.v2i2>



CASTELLATED STEEL BEAMS EFFICIENCY BY TOPOLOGY OPTIMIZATION

Andaryati¹, Yoki Triwahyudi²

¹Jurusan Teknik Sipil, Universitas Wijaya Kusuma Surabaya (UWKS)

²Jurusan Teknik Sipil, Universitas Sunan Giri Surabaya (UNSURI)

Email : ¹andaryati@uwks.ac.id. ²yoki.triwahyudi@unsuri.ac.id.

ARTICLE INFO

Article History :

Article entry : 2022-03-18
Article revised : 2022-03-19
Article received : 2022-03-30

Keywords :

Topology Optimization,
Castellated Beam, Cellular Beam.

IEEE Style in citing this article :

Andaryati, Y. Triwahyudi,
"Castellated Steel Beams
Efficiency By Topology
Optimization", CIVILA, Vol.7,
no. 1, pp.97-106, 2022.

ABSTRACT

Topology optimization is a mathematical method which spatially optimizes the distribution of material within a defined domain, by fulfilling given constraints previously established and minimizing a predefined cost function. For such an optimization procedure, the three main elements are design variables, the cost function and the constraints. The purpose Topology optimization IWF steel profiles of 300x150x6.5x9 offers to leverage the advancement in manufacturing technologies that have made it possible to fabricate castellated materials with complex but prescribed topologies, especially the use of wide span beams and high rise buildings that require many beam openings as heating, ventilation and air conditioning (HVAC) lines. Castellated beam has the ability to carry a greater moment and greater stiffness. To determine the relationship between the layout model IWF steel profiles of 300x150x6.5x9 will be carried out FEA Analysis with several volume ratio constraints of 0.5; 0.4 and 0.3. Topology optimization results will be verified and validated with castellated beam product by PT.Gunung Garuda Steel Group which is widely used in the Indonesian market.

1. Introduction

The development of cutting tools and welding machines has resulted in the development of the use of steel shapes that are used especially for industrial building structures that have wide spans and high-rise building applications that require many beam openings as heating, ventilation and air conditioning (HVAC) lines, explained in Figure 1. One that is currently developing is the castellated beam and cellular beam models. The



Copyright © 2022 Andaryati, dkk. This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/). Allows readers to read, download, copy, distribute, print, search, or link to the full texts of its articles and allow readers to use them for any other lawful purpose.

development of mathematics and optimization encourages the use of modern optimization techniques [1] and [2] such as metaheuristic optimization (Genetic Algorithm, Particle swarm optimization, Fuzzy, etc.) which can produce optimum steel weight. Another optimization technique that is currently developing with Finite Element Analysis, one of which is Topology Optimization, this is because it can provide a figure of the shape, location and size of the hole opening which we will apply to the IWF steel profile castellated beam product from PT.Gunung Garuda Steel Groups that we encounter a lot of use in construction practice in Indonesia.



Figure 1. Application of Perforated Steel in high rise building
(reff : <http://www.steelconstruction.info>)

2. Research Method

In this study, the material used was mild steel standard ASTM A36/JIS SS400/BJ 37 with a yield strength value of $f_y=240$ Mpa and a breaking value of $f_u=400$ Mpa. Topological Optimization Analysis is used by modeling IWF beams of $300 \times 150 \times 6.5 \times 9$ which are fabricated into castellated beam profiles into CAS dimensions of $450 \times 150 \times 6.5 \times 9$, modeled on simple supports with a span length of 5m, carried out with finite element analysis, topology optimization assisted by software. *Altair Hyperworks Inspire* [3] as shown on Figure 22.




Figure 2. FEA Optimized Topology Evaluation

3.1 Description and Technical

Structural topology optimization is divided into 3 (three) different types, each targeting different types of parameters, namely: topology optimization, size optimization and shape optimization, described in Figure 4. Topology optimization is the most common type of structural optimization, which is carried out in the early stages of design, all parameters are considered to achieve the objective function. The initial model of the optimization topology gives a 70% figure of the objective function, described in Figure 3, which can be refined (fine-tune) and with different volume ratios, other types of optimization such as size optimization and shape optimization are not discussed. [4]




Figure 3. Typical Topology Optimization




Figure 4. Topology Optimization Target Parameters

Topology optimization focuses on identifying the optimum members and opening locations, [5] Topology optimization can be completed with two technical approaches, namely material (micro approach) and geometry (macro approach), micro approach with Solid Isotropic Material with Penalization (SIMP) method using finite element analysis and search algorithm for optimal layout based on density method principle with set 0 for the material to be removed and set 1 for the material that remains so that it forms a pattern based on the objective function and the constraints of the constraint function, also explained by Bendsoe [6].




Figure 5 Density Method forms a layout pattern

Figure 5 explained that the volume ratio will remain the same following the shape density ratio while the stiffness ratio will form an exponential pattern when the stiffness ratio was 0.8 then the shape density ratio was 0.5. Figure 6 explain the stages of finite element analysis, topology optimization assisted by software. *Altair Hyperworks Inspire*.




Figure 6. Topology Optimization software FEA

he macro approach proposed by (Li et al., 2003) with the Evolutionary Structural Optimization (ESO) method is a current method as an alternative method to the SIMP technique which focuses on removing materials from finite element analysis that have small stresses and deformations (under utilized) in the area design space.

3.2 Objective Function


The Objective function of topology optimization is to minimize the weight or volume of Castellated IWF steel beam material by performing topological optimization based on the volume ratio, so that optimal stiffness is obtained.

3.3 Constraint Function

The constraint function of the topology optimization of the castellated IWF beam is the availability of material in the Indonesian market (the size of the steel profile used), the stress that occurs, the rigidity of the structure, the deformation of the structure as well as the production capability of manufacturing and the symmetrical layout in order to fulfill the objective function, by first doing the CAD modeling (Computer Aided Design) and FEA (Finite Element Analysis).

4. Results and Discussions

The results of the topology optimization analysis are explained by removing the element of the underutilized density layout area as shown on Figure.






Figure 7. Topology Optimization Results of IWF 300x150x6.5x9 with some volume fraction constraints.

The density plot describes the optimal distribution of the material from the convergence of the optimization results. The red color shows the material's safety factor which is getting closer to the allowable stress (SF is close to 1.0) while the blue color has a large safety factor. When the dominant stress occurs in the flange position, then the body position (web) does not need material for the body position, the topology optimization also follows the stress - strain principle that occurs in the IWF body position. Topology optimization analysis brings great benefits in increasing intuition in engineering judgment, especially in the development of complex geometries. Topology analysis is also not limited to derivatives of practical designs that already exist in the manufacturing process.

Manufacturing issues are problems that should not be forgotten in topology optimization, therefore in conducting topology analysis it is necessary to pay attention to manufacturing constraints (Zhou et al., nd) including symmetrical, casting constraint, extrusion constraint and pattern graduation, this is so that the analysis results. Topology optimization can be done in industrial manufacturing processes. The symmetrical constraint that we use in the topology optimization analysis of the hollow beam, where the centerline that divides the X and Y axes is the same, the most optimal result is to use a volume fraction constraint of 0.4 as shown Figure .

The results of the next topology optimization analysis need to be smoothed by post-processing software so that a smoother CAD model can be obtained and manufacturing procedures for profile cutting and welding assembly techniques can be carried out after cutting.




Figure 8. Shear Stress, Van Miss Stress and Deformation

5. Verification and Validation

In this research, it is focused on finding the pattern of layout, size of openings and number of openings using topology optimization more larger than compared with standard Castelled Beam PT. Gunung Garuda Product as show on figure 9.




Figure 9. Validation Pattern FEA Topology Optimization Result with Castelated beam Product PT.Gunung Garuda

6. Conclusion and Suggestion

6.1 Conclusion

The results of topology optimization for a volume fraction of 0.4 with a beam span of 5m obtained a total weight of 154.3 kg, while the standard Castelated beam Product PT.Gunung Garuda total weight of 183.5 kg (36.7kg/m'), a saving of about 18.9%.

6.2 Suggestion

The layout form of the topological analysis has a rhombus opening which allows further research to be carried out to obtain large openings that are useful for HVAC systems.

References

- [1] R. V. Sorkhabi, A. Naseri, and M. Naseri, "Optimization of the Castellated Beams by Particle Swarm Algorithms Method," *APCBEE Procedia*, vol. 9, pp. 381–387, Jan. 2014, doi: 10.1016/j.apcbee.2014.01.067.
- [2] F. Erdal, E. Doğan, and M. P. Saka, "Optimum design of cellular beams using harmony search and particle swarm optimizers," *J. Constr. Steel Res.*, vol. 67, no. 2, pp. 237–247, Feb. 2011, doi: 10.1016/j.jcsr.2010.07.014.
- [3] "Free eBook: Practical Aspects of Structural Optimization (A Study Guide) | Altair University." <http://www.altairuniversity.com/free-ebooks-2/free-ebook-practical-aspects-of-structural-optimization-a-study-guide/> (accessed Jul. 14, 2017).
- [4] K. D. Tsavdaridis, J. J. Kingman, and V. V. Toropov, "Application of structural topology optimisation to perforated steel beams," *Comput. Struct.*, vol. 158, pp. 108–123, Oct. 2015, doi: 10.1016/j.compstruc.2015.05.004.

- [5] G. I. N. Rozvany, "A critical review of established methods of structural topology optimization," *Struct. Multidiscip. Optim.*, vol. 37, no. 3, pp. 217–237, Jan. 2009, doi: 10.1007/s00158-007-0217-0.
- [6] *Martin Philip Bendsoe* / *Springer*. 2002. [Online]. Available: <http://www.springer.com/in/book/9783540429920>

CASTELLATED STEEL BEAMS EFFICIENCY BY TOPOLOGY OPTIMIZATION

ORIGINALITY REPORT

21%
SIMILARITY INDEX

20%
INTERNET SOURCES

14%
PUBLICATIONS

14%
STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

4%
★ journals.pan.pl
Internet Source

Exclude quotes Off
Exclude bibliography Off

Exclude matches Off