

(https://icgab.ub.ac.id/)

Search Enter your search Q



### Wellcome to The ICGAB 2020 on 25 August 2020 in Malang, Indonesia

### **About the Conference**

Global industrial expansion to foster economic growth entails severe damaging impacts on the environment, commonly derived from multiple sources including natural resource exploitation, fossil fuel use, greenhouse gas emissions, and deforestation. Thus, developing a resource efficient, climate-friendly technology, and low carbon economy have risen as the worldwide's demands and ambitions by 2050. With the estimation of the current global bioeconomy market worth at US\$2.7 trillion, and a growing population of 2-3 billion people in the next 40 years accounted for increasing global food demand by 70%, green agro-industry is expected to play a substantial role. The creation of bioeconomy through the expansion of green agro-industry thus can create sustainable jobs/industries contributed to overall economic growth for sustainable development, whilst maintaining natural resourses/biodiversity, mitigating climate change, and increasing opportunities in the agricultural sectors.

Indonesia, as a major supplier of several agricultural products worldwide, is also globally known as one of the main agroindustry countries. With a rapidly growing interest on green agro-industry and potential optimisation for food security and bio-based products with green supply chain and eco-standardisation, it is important to accelerate the innovation and adoption of more sustainable and renewable resources/biomass, bioenergy, process, and technology, with fewer environmental impacts, less amounts of waste and carbon footprint. Yet, the transition toward a global and circular bioeconomy through green agro-industry is far more than the complex of the progression and innovations in research and technology, technical performances, sustainable biomass procurement and valorisation, policy-making, societal and multidisplinary rethinking process. A call for disemminating knowledge, sharing of the success stories, and encouraging international collaboration of interdisciplinary stakeholders, is therefore essential to foster competitive green agro-industrial development and tackle associated challenges in the developing world.

This conference is intended to inform and communicate to wider stakeholders aiming to increase awareness on the sustainable development in the circular bioeconomy context. This event will also provide a platform where local and international academia or researchers, policy makers, industry leaders, and other stakeholders to translate technology, exchange ideas, provide feedbacks, and help in developing guidelines for shaping a worldwide green economy.

ICGAB 2020: Emerging Technology and Integrated Information System for S...



# **Keynote Speakers**



Assoc. Prof. Yasmin Sultanbawa University of Queensland - Australia



Rossana Marie Amongo, PhD University of The Philippines Los Banos Philipine





Prof. Teti Estiasih Universitas Brawijaya - Indonesia



Ir. Mohd Fazly bin Mail P. Eng., M.I.E.M Malaysian Agricultural Research and Development Institute - Malaysia



Assoc. Prof. Grause Guido Tohoku University - Japan

# **Emerging Technology and Integrated Information System for Sustainable Agroindustry**

In the digitalisation era, nessities such as technology, innovation and information system are becoming critical for shifting agroindustries from conventional practices to be more sustainable. Furthermore, creation of bioeconomy has hugely highlighted and demanded in the global world. thefore Indonesia needs to strive and adapt by harnessing the emerging technology as well as integrated information system to address the chalanges of IoT as well as environmental problems in agroindustry. Such approaches may create opportunities forexpand sustainable agroindustry as well as to achieve sustainable development.

research and technology advances, as well as case studies related to sustainable agroindustry. This event provides a scientific platform enabling both local and international academia, researchers, policymakers, industry leaders, professionals, and other stakeholders to build networks, share ideas, and create research collaboration. ICGAB 2020 is hopefully offering all participants to engage with the practices and/or implementation of advance technology and information system to further develop green economy in Indonesia through creation of sustainable agroindustry.

Since 2017, ICGAB has been successfully attracting more than 300 participants from different countries. This year we are proudly inviting participants to attend and participate in the 4th ICGAB on 25 August 2020 at Online System. ICGAB 2020 is organised by Faculty of Agricultural Technology, Universitas Brawijaya in collaboration with MSAE (Malaysian Society of Agriculture and Food Engineers) and AUCFA (ASEAN Universities Consortium on Food and Agro-based Engineering & Technology).

We are also partnered with IOP Publisher to publish selected manuscripts in the IOP Conference Series: Earth and Environmental Science. Non-selected papers will be published in our electronic ICGAB proceeding with registered ISBN or recommended to be published in our International Journal "Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering (AFSSAAE)'.

#### **Online Conf**

Please note that due the Covid-19 pandemic issue all over the world, ICGAB 2020 will be held as an **ONLINE CONFERENCE (REMOTE PRESENTATION) THROUGH VIDEO MEETING** 

Detailed information regarding the online conference implementation will be informed further.

>

# **IOP Publishing 2020**

# Konferenzi

🙎 Under Reviewed

3/8/2021 ICGAB 2020 – ICGAB

Paper Submition (https://confbeam.org/2020/icgab/kfz/)

#### **BOOK OF ABSTRACTS AND CONFERENCE PROGRAMS**

Book of Abstracts and Conference Programs (https://icgab.ub.ac.id/wp-content/uploads/2020/08/Book-of-Abstract-ICGAB-2020.pdf)

# **IMPORTANT DATES**

Name	Date	Deadline Extension
Abstract Submission	1 May 2020	14 July 2020
Abstract Acceptance	4 July 2020	16 July 2020
Manuscript (Full paper)	5 July 2020	10 August 2020
Registration Deadline		15 August 2020
Conference Day	25 August 2020	

# **CONFERENCE TOPICS**

The conference invites contributions on the following topics but not limited to:

- 1. Food Safety and Security
- 2. Agricultural Engineering
- 3. Agricultural Product Technology
- 4. Agroindustrial Production System Management and Regulation
- 5. Renewable Energy And Biorefinery
- 6. Waste And Environmental Management
- 7. Health, Nutrition and Medical Microbiology
- 8. Industrial Biotechnology and Bioprocessing
- O Egod Microbiology

ICGAB 2020 - ICGAB

- 7. FUUU IVIICI UDIULUGY
- 10. Agro Forestry and Biodiversity
- 11. Fisheries and Marine Resources Technology
- 12. Animal Welfare and Technology
- 13. Bioeconomy and Biobusiness

# **CONFERENCE COMMITTEE**

**SCIENTIFIC COMMITTEE** 

STEERING COMMITTEE

**ORGANIZING COMMITTEE** 

#### Sri Suhartini, Ph.D (Chairman)

Muhammad Nurcholis, Ph.D

Dego Ali Musa, MP.

Zaqlul Iqbal, STP, MSi

Nimas Mayang S. Sunyoto, PhD

Wenny Bekti Sunarharum, Ph.D

Joko Prasetyo, M.Si

Masúd Effendi, MP

Hendrix Yulis Setyawan, STP, MSi. PhD

3/8/2021 ICGAB 2020 – ICGAB

#### **ICGAB Committee**



TELEPHONE +62341 580106

(a) INTERNATIONAL +62341 568917

EMAIL icgab@ub.ac.id (mailto:icgab@ub.ac.id)



©2017 ICGAB ALL RIGHTS RESERVED

# Table of contents

#### Volume 733

#### 2021


◆ Previous issue Next issue ▶

# International Conference on Green Agro-industry and Bioeconomy 25 August 2020, Malang, Indonesia

Accepted papers received: 25 March 2021

Published online: 04 May 2021

Open all abstracts



OPEN ACCESS 012003

Land conversion from coffee to citrus and changes of farmers livelihood strategies (case Thipair wittage, kBer Bunn Whunaya wabbistricty Rejarge Lebung Refgensie, sBEn findler)t more, see our Privacy and Cookies policy.



A Ishak, H B Astuti,	S Yuliasari, W A Wu	landari, I Calis	ta, Miswarti and Y Sast	ro
+ Open abstract	View article	🔁 PDF		

OPEN ACCESS 012004 Effect of carbonisation temperature and activating agents on the characteristics of activated carbon produced from oil palm empty fruit bunch Y Hendrawan, D Y Nurseta, R Utami, Daisy, M I A Trilaksana, S H Sumarlan and Y Wibisono + Open abstract View article 🔁 PDF **OPEN ACCESS** 012005 Classification of total carotene and quality of chili pepper (Capsicum frutescens) based on image analysis Y Hendrawan, R Utami, D Y Nurseta, Daisy, S Nuryani, D M Maharani and Sandra View article 🔁 PDF + Open abstract **OPEN ACCESS** 012006 Design and performance evaluation of edible film printing machine based on automatic casting knife A W Putranto, M M Sakhbani, N H Khoir, N Mutiarani, B Susilo and M B Hermanto View article 🔁 PDF + Open abstract OPEN ACCESS 012007 The sustainability challenges of the poultry industry during pandemic Covid-19 Ika Yunita and Sawarni Hasibuan View article 🔁 PDF + Open abstract OPEN ACCESS 012008 Performance of the solar distillation pyramid type to desalinate seawater into freshwater R Damayanti, G Djojowasito and F A Dharmawan View article PDF + Open abstract **OPEN ACCESS** 012009 Predicting the sweetness level of avomango (Gadung Klonal 21) using multi-predictor local polynomial regression M Ulya, N Chamidah and T Saifudin 🔁 PDF View article + Open abstract **OPEN ACCESS** 012010 Physical properties of dried red chili (Capsicum annuum) var. Hot Beauty as a function of moisture content L.C. Hawa, R.P. Diposari and M. Lutfi This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

🔼 PDF

see Copum Particacycand Coaki & i ewoliaryicle

8

OPEN ACCESS	012011
Drying cabya (Piper retrofractum Vahl.) at three ripeness stages	
L C Hawa, A Sugesti, A N Laily, N I W Yosika, Y Wibisono and S M Sutan	
+ Open abstract	
OPEN ACCESS  Quality control of cardboard using MEWMA and MEWMV control chart (case study in PT. Y Kediri Indonesia)	012012
A Ihwah, Sucipto and B R Ekatama	
+ Open abstract	
OPEN ACCESS  Comparison of the separation process of crude citronella oil using vacuum fractionation	012013
distillation on a pilot plant scale and laboratory scale	
S Kanza, R Silvianti, D S Ramadhan, M Cahayo and Sukardi	
♣ Open abstract   ☑ View article     PDF	
OPEN ACCESS Growth, yield and radiation energy conversion of sweet potato ( <i>Ipomoea batatas</i> (L.) lam.) plant under different stake angles and various mulch type in the Papua highlands	012014
A Soplanit, M K Rumbarar and N E Suminarti	
♣ Open abstract   ▼ View article   PDF	
OPEN ACCESS  Morphological and quality characteristics of genus of <i>Canarium L</i> .: A review  N A H A Rashid, R Shamsudin, S H Arifin and W N Z Z Abdullah	012015
+ Open abstract	
OPEN ACCESS  Monitoring of fluorescence characteristic in tomato surface during over-ripening stage	012016
A Nurulhuda, D F Al Riza, Muharfiza, M Kuramoto, T Suzuki and N Kondo	
+ Open abstract	
OPEN ACCESS  Performance evaluation of cassava peels starch-based edible coating incorporated with chitosan on the shelf-life of fresh-cut pineapples ( <i>Ananas comosus</i> )	012017
I K Maharsih, M D Pusfitasari, C A S Putri and M T Hidayat	
+ Open abstract	
OPEN ACCESS This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.	012018

Analysis of power requirement of a prototype four-wheeled electric vehicle under different off-road conditions

M Ali, M Chowdhury, M N Islam, K Rasool, H S Lee and S O Chung

+ Open abstract

View article

🔁 PDF

**OPEN ACCESS** 012019

Theoretical analysis of velocity, acceleration and torque calculation of a five-bar onion transplanting mechanism

K Rasool, M Ali, M Chowdhury, H J Kwon, K M Swe and S O Chung

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012020

Effect of gear design on the power transmission unit of a small-sized multipurpose agricultural utility vehicle

M Ali, M N Islam, M Chowdhury, N A Khan, K Rasool and S O Chung

+ Open abstract

View article

🔁 PDF

**OPEN ACCESS** 012021

Stability and vibration analysis of a tractor-mounted Chinese cabbage collector

B E Jang, M Chowdhury, M Ali, M N Islam, K M Swe, D U Jung, S H Lee and S O Chung

+ Open abstract

View article

🔼 PDF

OPEN ACCESS 012022

Stress and fatigue analysis of the hydraulic motor shaft and conveyor joints of a tractormounted Chinese cabbage collector

K M Swe, M N Islam, B E Jang, M Chowdhury, S H Lee, D U Jung and S O Chung

+ Open abstract

View article

🔼 PDF

**OPEN ACCESS** 012023

Land consolidation (contiguous farming) for sustainable crop production for the agroindustry

R Amongo, M Larona, M Onal, A Resurreccion, G Lalap and M Limbo

+ Open abstract

View article

🔼 PDF

**OPEN ACCESS** 012024

ACSE (automatic canopy space expander): Automatic spacing system based on increasing plant canopy area on hydroponics for space efficiency

A Jaenuri, M Hafizh, S Primatama, A P Nugroho and R E Masithoh

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012025

s.site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, ricultural soil moisture sensor based on U-bend Plastic Optical Fibre (POF) our Privacy and Cookies policy.



Murti Marinah, Nadhifa Aqilla Husna	, Hafiz Salam and Agus Muhamad Hatta
-------------------------------------	--------------------------------------

OPEN ACCESS 012026

Mobile mecavision: automatic plant monitoring system as a precision agriculture solution in plant factories

A Wijanarko, A P Nugroho, A I Kusumastuti, M A F Dzaky, R E Masithoh, L Sutiarso and T Okayasu

OPEN ACCESS 012027

Plant growth prediction model for lettuce (*Lactuca sativa*.) in plant factories using artificial neural network

A Rizkiana, A P Nugroho, N M Salma, S Afif, R E Masithoh, L Sutiarso and T Okayasu

**+** Open abstract
 ■ View article
 ▶ PDF

OPEN ACCESS 012028

Three-dimensional (3D) reconstruction for non-destructive plant growth observation system using close-range photogrammetry method

M A A Arief, A P Nugroho, A W Putro, D H Dananta, R E Masithoh, L Sutiarso and T Okayasu

**+** Open abstract■ View articlePDF

OPEN ACCESS 012029

The potential of rice husk ash for silica synthesis as a semiconductor material for monocrystalline solar cell: a review

A W Putranto, S H Abida, A B Sholeh and H T Azfa

OPEN ACCESS 012030

Smart food packaging from sago starch incorporated with anthocyanin from *Brassica* oleracea

N H C Hamzah, N A M Shaidi, M S Merais and N Khairuddin

**+** Open abstract
 ■ View article
 ▶ PDF

#### **Agroforestry and Biodiversity**

OPEN ACCESS 012031

Fading local wisdoms of upland rice varieties in situ conservation in South Bengkulu Regency (case in Pino Raya subdistrict)

A Ishak, E Fauzi, J Firison, Miswarti and Y Sastro

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, See our Privacy and Cookies policy.

Ethnobotany of medicinal plant used by Sundanese Ethnic at Nyangkewok Hamlet, Kalaparea Village, Sukabumi District

K D Cita and P Waluyo

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012033

Adaptation pattern of trembesi (*Samanea saman* Jacq. Merr.) seedling to lead exposure at nutrient culture based on the characteristics of organic acid

L Setyaningsih, M Maslahat and M A Syahrizki

+ Open abstract

View article

PDF

OPEN ACCESS 012034

Optimization of NaOH concentration and cooking time in delignification of mature coconut (*Cocus nucifera* L.) coir

I A Dewi, A Ihwah, H Y Setyawan, A A N Kurniasari and A Ulfah

+ Open abstract

View article

PDF

#### **Agroindustrial Production System Management and Regulation**

OPEN ACCESS 012035

Parameter identification for the decision model of uncertainty price competition in food delivery services

D P Andriani, L T W N Kusuma, A B Rachman, S Z Firdausa, A D Azzahra and Q A Fadhlurrahman

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012036

Development of supply chain models of natural rubber products by considering quantitydiscounts and environmental factors

S Susanto, I Santoso, S Wijana and R Astuti

+ Open abstract

View article

PDF

OPEN ACCESS 012037

A thematic analysis on work safety and ergonomics issues in Indonesian food-producing SMEs

R L R Silalahi, B Ryan, S Cobb and R Houghton

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012038

Controlling of pasteurized milk production using SPC and TRIZ

S Sucipto, D R Ria and U Effendi

🔁 PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



+ Open abstract

3/8/2021

**OPEN ACCESS** 

+ Open abstract

**OPEN ACCESS** 

+ Open abstract

OPEN ACCESS

+ Open abstract

OPEN ACCESS

+ Open abstract

**OPEN ACCESS** 

**OPEN ACCESS** 

Comparison halal food regulation and practices to support halal tourism in Asia: A review

S Nuraini and Sucipto

+ Open abstract

**OPEN ACCESS** 012045

Integration of Halal Assurance System (HAS) in the Integrated Management System (IMS) to support food industry performance: a review

S D Puspaningtyas and S Sucipto

+ Open abstract

View article

🔼 PDF

**OPEN ACCESS**This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



The effect of facilities layout and services on visitors' comfort in Keboen Kopi Karanganjar Agrotourism Blitar

H E Dewi, R Adityawati and H S H Subagyo

+ Open abstract

View	article
------	---------



OPEN ACCESS 012047

Forecasting export demand for L-Lysine as animal feed product in PT X Indonesia

A Ihwah and R Syafira

+ Open abstract





OPEN ACCESS 012048

The impact of customer pressure and the environmental regulation on green innovation performance

E R Lestari, W A P Dania, C Indriani and I A Firdausyi

+ Open abstract





OPEN ACCESS 012049

Revitalising the role of interconnectedness on agricultural innovation platform: A network analysis

R Hardiyati, L Ariana and I Purwaningsih

+ Open abstract





OPEN ACCESS 012050

Managing quality risk in a frozen shrimp distribution process

A D P Citraresmi and V S Arum

+ Open abstract





OPEN ACCESS 012051

Strategies to implement total quality management in small scale rural agroindustry to enhance Indonesian pepper competitiveness

S Wulandari

+ Open abstract





OPEN ACCESS 012052

Customer satisfaction and proximity analysis of white bread product in Malang City - East Java Province, Indonesia

J M Maligan and N N 'A Harisa

+ Open abstract





OPEN ACCESS 012053

Ouality control analysis for minimize of defect in potato chips production using six This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, sigma DMAIC see our Privacy and Cookies policy.



S A Mustaniroh, B A Wic	lyanantyas and M	A Kamal	
+ Open abstract	View article	PDF	
OPEN ACCESS  Development model or dynamics modelling approximately appro	-	vnstream integration of coffee agroindustry using	012054
I Santoso, YN Afifa, R A	. 1	nto	
	View article	PDF	
OPEN ACCESS Cleaner production and	·	nall scale enterprise	012055
R Septifani, S Suhartini a		m nor	
+ Open abstract	View article	PDF	
OPEN ACCESS Sorbitol production op	timization in B	2B industry with six sigma approach	012056
I I Pariasa, M A S Anam	and A E Hardana		
+ Open abstract	View article	PDF	
OPEN ACCESS  Quality control of bott the Failure Mode and I A L Rucitra and J Amelia	Effect Analysis	ng using the Statistical Quality Control (SQC) and (FMEA)	012057
+ Open abstract	View article	PDF	
(COVID-19): A literat	ure review	new normal era of coronavirus disease 2019	012058
V Pratama, I Santoso and	S A Mustaniroh		
+ Open abstract	View article	PDF	
OPEN ACCESS The effect of supplier is Malang area	innovation on s	upply chain agility: Evidence from coffee shops in	012059
A Aprilia, F Laili, P B Se	tyowati and K F V	Varingga	
+ Open abstract	View article	PDF	
during COVID-19 pan	demic	he purchase decisions of fruits and vegetables	012060
H.E. Dewi, A. Aprilia, A.E. This site uses cookies. By		asa, D.Y Sofianti and D I Prasetyaningrum. e this site you agree to our use of cookies. To find out more, PDF	8

OPEN A COROS	
OPEN ACCESS Product development of sweet potato dry noodle using Quality Function Deployment (QFD)	012061 nt
I A Dewi, E R Lestari and D F A Rahayu	
<b>+</b> Open abstract   ▼ View article     PDF	
OPEN ACCESS	012062
Inventory control analysis of frozen processed shrimp using silver meal heuristic me (case study at PT. X Malang, East Java, Indonesia)	ethod
D M Ikasari, E R Lestari and Y Ni'matul	
+ Open abstract	
OPEN ACCESS	012063
Malang coffee value chain analysis: A case study of Taji arabica coffee	
M Effendi, A Sitorus, R Astuti and I Santoso	
<b>+</b> Open abstract   ▼ View article     PDF	
OPEN ACCESS	012064
Green marketing mix: an example of its influences on purchasing decision	
R Astuti, P Deoranto, M L A Wicaksono and A Nazzal	
<b>+</b> Open abstract   ▼ PDF	
Agricultural Products Technology	
OPEN ACCESS	012065
Packaging development for fresh avocado ( <i>Persea americana</i> ) using quality functio deployment method	
A I D Larasati, S B Anoraga, M A F Falah, A H Laksono, L A Padantya, L A Windiputri and I S	Sabarisman
+ Open abstract	
OPEN ACCESS	012066
The improvement of white pepper quality through fermentation process by <i>Acetoba</i> s sp	cter
K S Sasmitaloka, T Hidayat and Hernani	
♣ Open abstract   ☑ View article     ▶ PDF	
OPEN ACCESS	01206
Natural biopesticide from liquid rice hull smoke to control brown planthopper	
Hernani, S Yuliani and Rahmini	
+ Open abstract	t more,

-	•	a ( <i>Theobroma cacao</i> L.) variety Lindak bean shell ng as a functional food	
E Lembong, M Djal	li, Zaida and G L Utar	ma	
+ Open abstract	View article	PDF	
OPEN ACCESS			012069
-	-	e and time of vacuum drying for production of <i>ale</i> L.) powder using response surface methodology	
R Prakoso and A Z		71 8 1	
+ Open abstract	View article	PDF	
OPEN ACCESS			012070
Responses of rice system in Jayapu	•	eties to the application of biofertilizers and plant	
R H S Lestari, S Tir	ajoh, M K Rumbarar	and M Thamrin	
+ Open abstract	View article	PDF	
shredded apples	ng and solar energy	-based drying models on the quality of dried	01207
+ Open abstract	View article	PDF	
OPEN ACCESS			012072
		instant baby complementary food from red sorghum and papaya puree (Carica papaya Linn.)	
D N Surahman, W	Cahyadi, T M Fernand	la, T Rahman and A M Sazali	
+ Open abstract	View article	PDF	
(Pandanus amary	vllifolius Roxb.) lea	•	012073
A Adhamatika, E S	Murtini and W B Sun	arharum	
+ Open abstract	View article	PDF	
OPEN ACCESS			01207
Chemical propert extract as function	, ,	gurt with ginger (Zingiber officinale var.roscoe)	
A A Anggraini, M I	Devi, N Nurjanah and	N A Sunaryo	
+ Open abstract	View article	PDF	
This site uses cooki	•	se this site you agree to our use of cookies. To find out more,	8

OPEN ACCESS Proportion of tare of wet noodles	o and wheat flour, a	and konjac flour concentration on the characteristics	012075
F S Rejeki, E R We	dowati, D Puspitasari,	J W Kartika and M Revitriani	
+ Open abstract	View article	PDF	
OPEN ACCESS The concentration gluten biscuits	n of sago flour to ta	aro-mung bean composite flour on the quality of non-	012076
D Puspitasari, E No	erhartati, M Revitrian	i, F S Rejeki and E R Wedowati	
+ Open abstract	View article	PDF	
•	formance and econoicld in Jayapura, Pa	omic feasibility of new superior rice variety planted pua	012077
P A Beding, F Palo	bo, B M W Tiro, R H	S Lestari and M K Rumbarar	
+ Open abstract	View article	₹ PDF	
and Forastero: a 1	review	our of cocoa ( <i>Theobroma cacao</i> L.) cultivar Criollo Muhammad and A D Saputro	012078
+ Open abstract	View article	PDF	
Blume) grown or	•	corm yield of porang (Amorphophallus muelleri	012079
M Soedarjo  + Open abstract	View article	PDF	
		re and time on decocted Robusta coffee leaves tea  Wardani and K Fibrianto  PDF	012080
• Open abstract	- View article		
growth in bulk pa		tion and modified atmosphere packaging on microbial mon ( <i>Salmo salar</i> ) fillets  A Stanley	012081
+ Open abstract	View article	PDF	
This site uses cooki OPEN ACCESS see our Privacy and	es. By continuing to u Cookies policy.	se this site you agree to our use of cookies. To find out more,	012(8)

Changes of gray level co-occurrence matrix (GLCM) texture and antioxidant level during freezing of pumpkin

Y Kristianto, W Wignyanto, B D Argo and I Santoso

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012083

Comparative study on animal and vegetable fat as effective palate cleanser of spiciness

K Fibrianto and S W Syauqi

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012084

The characteristics of dried Suji (*Dracaena angustifolia* (medik.) Roxb.) leaves powder produced by different drying methods and temperatures

D A Putri, E S Murtini and W B Sunarharum

+ Open abstract

View article



OPEN ACCESS 012085

Effect of glucomannan addition on physical and sensory characteristic of gluten-free muffin from modified cassava flour and maize flour

P S Dewi, D Ulandari and N S Susanto

+ Open abstract

View article

PDF

OPEN ACCESS 012086

Effect of different brewing techniques and addition of lemon peel (Citrus limon) on physico-chemical characteristics and organoleptic of cascara tea

W B Sunarharum, A N Yudawati and N E Asih

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012087

Antioxidant analysis of Artocarpus heterophyllus drink

M Devi, NA Sunaryo and AH Mansoor

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012088

Extraction Treatments Affect Total Flavonoid and Phenolic Contents of Cowpea (*Vigna Unguiculata* L. Walp.)

E Yusnawan, A Inayati and Y Baliadi

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012089

Production and physicochemical characterization of modified tapioca
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,
He Herry warfund: Solved applied N Setyawan



+ Open abstract

**OPEN ACCESS** 

+ Open abstract

Bengkulu

https://iopscience.iop.org/issue/1755-1315/733/1

GEP IONT Privacy and Cookies policy.

C W Rizkita and Sukardi

View article

🔁 PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

0120

The effect of microwave power and feed to solvent ratio on antioxidant activity and volatile compounds profile of crystal seedless guava leaves essential oils extracted using microwave-assisted hydrodistillation

A	D	Priya	anto,	Νŀ	\ Er	lıyantı	and	$C_{I}$	Puj	1as1	tut	1
---	---	-------	-------	----	------	---------	-----	---------	-----	------	-----	---

+ Open abstract

View	article
------	---------

🔁 PDF

OPEN ACCESS 012098

The potentials of Indonesian tubers for the development of potato starch substitute: A short review

G M Ulfa, W D R Putri, K Fibrianto and S B Widjanarko

+ Open abstract

	17:	ماد نسم
I = .	View	article



OPEN ACCESS 012099

Cyanide detoxification methods in food: A review

D E Kuliahsari, I N I Sari and T Estiasih

+ Open abstract





OPEN ACCESS 012100

Production optimization of green coffee extracts from Jember robusta (*Coffeacanephora*) coffee using foam mat drying method

D Pranowo, A Y Adiatmi and I A Dewi

+ Open abstract





OPEN ACCESS 012101

The recent development of gluten-free bread quality using hydrocolloids

L C M Manik and M Nur

+ Open abstract





OPEN ACCESS 012102

The effect of bulking agent and type of chocolate on the physicochemical characteristics of sucrose-free chocolate using stevia as a sweetener

M Nur, D R Suryatiani, R L Dewi and A B T Sari

+ Open abstract





OPEN ACCESS 012103

Review: Eucalyptus globulus essential oil extraction method

N Z Immaroh, D E Kuliahsari and S D Nugraheni

+ Open abstract






OPEN ACCESS 012104

Palm oil stripping through cellulolytic microorganism fermentation This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, Felulian Fin Sacynting CHokingspolley, ubis and P P Sinaga









#### **Animal Welfare and Technology**

OPEN ACCESS 012105

Meta-analysis of the effect of essential oil usage towards the production and milk composition of dairy cow

D R A Daning, L M Yusiati, C Hanim and B P Widyobroto

+ Open abstract





OPEN ACCESS 012106

Effect of boiling on *in-vitro* nutrients digestibility, rumen fluid characteristics, and tannin content of mangrove (*Avicennia marina*) leaves as animal feed

N Jamarun, R Pazla and G Yanti

+ Open abstract





#### **Bioeconomy and Biobusiness**

OPEN ACCESS 012107

Bioentrepreneurship approach as a pillar to accelerate the integrated farming system implementation

S Wulandari

+ Open abstract





#### **Food Microbiology**

OPEN ACCESS 012108

Effect of temperature and time storage towards alcohol level in cow milk kefir

A E Setiawati, I N I Sari and N Hasyati

+ Open abstract





#### **Fisheries and Marine Resources Technology**

OPEN ACCESS 012109

Substitution of red seaweed (Porphyra) with other seaweeds in nori making

E Sinurat, Nurhayati, D Fransiska and Sihono

+ Open abstract





OPEN ACCESS 012110

Effect of molasses on the chemical characteristics of seaweed-based organic fertiliser

Nurshayatuses Cohyaningyasn Philipping as that die Post agree to our use of cookies. To find out more,

Privacy and Coekies policy of the abstract





OPEN ACCESS  Elemental composition of <i>Eucheuma cottonii</i> and <i>Gracillaria</i> sp. using scanning electron microscope-energy dispersive spectroscopic analysis	012111
Agusman and S Wibowo	
+ Open abstract	
OPEN ACCESS	012112
Characteristic of semi refined and refined carrageenan flours used in the making of biofilm (bioplastic)	
P Wullandari, B B Sedayu, T D Novianto and A W Prasetyo	
♣ Open abstract   Image: Note of the property of the p	
OPEN ACCESS  Effect of cooking process on the characteristics of <i>pindang</i> loin produced from mackerel tuna fish ( <i>Euthynnus affinis</i> )	012113
Suryanti, T D Suryaningrum, D Ikasari, E Hastarini, D L Ayudiarti and R N Sari	
<b>+</b> Open abstract	
OPEN ACCESS  Optimization of stingray ( <i>Trygon sephen</i> ) smoking to extend shelf life and consumer preferences using response surface methodology  H Suprapto, S Kumalaningsih, W Wignyanto, I Santoso and S Sucipto	012114
+ Open abstract	
OPEN ACCESS  Prediction of fishers' income using a flexible model in Karanggongso fishers community,  Trenggalek regency, Indonesia	012115
A D Sulistyono, E Susilo, P Purwanti and N H Wardani	
+ Open abstract   ▼ PDF	
OPEN ACCESS  Data integration of humidity sensor and image texture for water content prediction of  Gracilaria sp. during sun drying	012116
I M S Erawan, W T Handoyo and W Sarwono	
<b>+</b> Open abstract   ▼ View article     PDF	
OPEN ACCESS  Conversion of fisheries processing by-product into salted-egg fish skin chips	012117
R N Sari, Th D Suryaningrum, D L Ayudiarti, E Hastarini, Suryanti and D Fransisca	
+ Open abstract	8

#### **Food Safety and Security**

OPEN ACCESS 012118

Good manufacturing practices for risk management in food safety sustainability: An empirical study

D P Andriani, A P N Aini, M Lestari and P Purba

+ Open abstract

■ View article

**PDF** 

OPEN ACCESS 012119

Shelf-life prediction of pineapple dodol packed with edible film using accelerated shelf life tests

N Afifah and L Ratnawati

+ Open abstract

View article

PDF

OPEN ACCESS 012120

The effect of addition pumpkin and carrot puree on the physicochemical and textural properties of mocaf biscuit as complementary food

L Ratnawati, N Indrianti, R Ekafitri and N K I Mayasti

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012121

Chemical properties, functionality, and morphology of taro flour modified by H2O2 oxidation and irradiation of UV light

R Ekafitri, Y Pranoto and A Herminiati

+ Open abstract

View article

PDF

OPEN ACCESS 012122

Factors affecting optimization of sustainable food house programs of accelerating food consumption diversification in Bantul Regency, Yogyakarta, Indonesia

L Rahayu, A Nadida and S Y Rusimah

+ Open abstract



🔼 PDF

OPEN ACCESS 012123

Demand for animal source of food in Central Java, Indonesia

T S M Rianti and N Khoiriyah

+ Open abstract



🔼 PDF

OPEN ACCESS 012124

Inhibition on color changes of raja banana (Musa sapientum) peel using specific acid

A N Al-Baarri, A M Legowo, Widayat, H Rizqiati, A Hintono, Y B Pramono, M Somantri, W Broto,

M Hadipernata, V C Santosa et al

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



**OPEN ACCESS** 012125 Business model analysis of mushroom agroindustry and its sustainable development strategy in Covid-19 pandemic N Haryati + Open abstract View article 🔁 PDF **OPEN ACCESS** 012126 Enhancing the food labelling system in Indonesia: The case of food with health-related claims in small and medium enterprises I Purwaningsih and R Hardiyati View article 🔼 PDF + Open abstract OPEN ACCESS 012127 Cassava genotypes selection for high yield and high starch content in advanced yield trials T S Wahyuni and K Noerwijati ■ View article 🔼 PDF + Open abstract Health, Nutrition, and Medical Microbiology **OPEN ACCESS** 012128 Immunomodulatory Activity of Black Tea Kombucha (Camellia sinensis) and Arabica Coffee Leaves Tea Kombucha (Coffee arabica) for Salmonella typhi-infected mice E Zubaidah, A R Iastika, T D Widyaningsih and K Febrianto View article 🔁 PDF + Open abstract **OPEN ACCESS** 012129 Anti-inflammatory effects of functional beverage from a mixture of moringa leaves, pandanus leaves, and red ginger in mice induced with monosodium urate crystal T D Widyaningsih, M Rachmawati, E Prabawati and S Winarsih View article 🔼 PDF + Open abstract **OPEN ACCESS** 012130 The potential of various seeds as angiotensin-I converting enzyme inhibitory peptides derived from protein hydrolysate: a short review A D Priyanto, A W Putranto and J L Hsu View article 🔼 PDF + Open abstract **OPEN ACCESS** 012131 Siwak (Salvadora persica) extract as a natural anti-halitosis mouth spray R S Resmisari, S T Wicaksono, N Alfiani and S R N Effendi

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

+ Open abstract See our Privacy and Cookies policy.

8

OPEN ACCESS 012132

Nutritional and physical properties of three varieties of Hanjeli (*Coix lacryma-Jobi*) flour for food diversification and application uses

N K I Mayasti, A C Iwansyah, A Indriati, R Ekafitri and Y Adriana

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012133

Antioxidant analysis of instant herbal beverages ingredients

P Deoranto, I A Dewi, A D P Citraresmi, I P Sari and C Dewi

+ Open abstract

View article

🔁 PDF

#### **Industrial Biotechnology and Bioprocessing**

OPEN ACCESS 012134

Characteristics of activated carbon from coconut shell (*Cocos nucifera*) through chemical activation process

M Lutfi, Hanafi, B Susilo, J Prasetyo, Sandra and U Prajogo

+ Open abstract

View article



OPEN ACCESS 012135

Isolation of thermo-tolerant and ethanol-tolerant yeast from local vegetables and their potential as bioethanol producers

M Nurcholis, R Kurniawan, J Kusnadi and J M Maligan

+ Open abstract

View article

PDF

OPEN ACCESS 012136

Effect of maltodextrin addition on the preparation of lipase from Coconut haustorium

ANF Suloi, M Mahendradatta, A Laga and AF Suloi

+ Open abstract

View article

🔁 PDF

OPEN ACCESS 012137

Techno-economic analysis of mung bean-based (*Vigna radiata* L.) synbiotic beverage production

Y Andriana, A C Iwansyah, T N Minh, A Indriati, N K I Mayasti, C E W Anggara, H M Astro and N Rahman

+ Open abstract

View article

🔁 PDF

#### Renewable Energy and Biorefinery

OPEN ACCESS 012138

Modeling and optimization of catalyst concentration and reaction temperature on yield and calorific value of biodiesel from CPO

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, Y Hendrawan, Daisy, R Utami, D Y Nurseta, R Yudho, B D Argo and B Susilo see our Privacy and Cookies policy.



OPEN ACCESS

The identification of ethanol and aromatic compounds from delignification of cacao pod husk using Phlebia sp.MG-60

I Nurika, Z A N M Majid and Suprayogi

3/8/2021

+ Open abstract

**OPEN ACCESS** 

of wheat straw

+ Open abstract

I Nurika

potential

+ Open abstract

#### **Waste and Environmental Management**

**OPEN ACCESS** 012144

Global warming potential from maize cultivation as affected by organic and biochar coated urea fertilizer in rainfed lowland

A Pramono, T A Adriany, H L Susilawati and M T Sutriadi

View article 🖰 PDF + Open abstract

**OPEN ACCESS** 012145

Assessing Indonesian sugarcane farmers' perceptions of climate change This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS 012148

Recycling paper industry: Analysis of raw material consumption in Indonesia

M S Romas and S Martini

3/8/2021

+ Open abstract

**OPEN ACCESS** 

+ Open abstract

**OPEN ACCESS** 

+ Open abstract

review

View article 🔁 PDF + Open abstract

**OPEN ACCESS** 012149

Synthesis of silica from rice husk by sol-gel method

N Setyawan, Hoerudin and S Yuliani

PDF View article + Open abstract

**OPEN ACCESS** 012150

Faecal sludge treatment facility site selection using GIS-based multi-criteria analysis and AHP: Case study of Bogor Regency

L A Devianto, N N A M S U Dewi, Q Helmy and M Chaerul

View article PDF + Open abstract

#### JOURNAL LINKS

Journal home Journal scope Information for organizers Information for authors Contact us

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Reprint services from Curran Associates

#### **PAPER • OPEN ACCESS**

# The concentration of sago flour to taro-mung bean composite flour on the quality of non-gluten biscuits

To cite this article: D Puspitasari et al 2021 IOP Conf. Ser.: Earth Environ. Sci. 733 012076

View the <u>article online</u> for updates and enhancements.

doi:10.1088/1755-1315/733/1/012076

# The concentration of sago flour to taro-mung bean composite flour on the quality of non-gluten biscuits

#### D Puspitasari, E Noerhartati, M Revitriani, F S Rejeki and E R Wedowati

Agro-Industrial Technology, Faculty of Engineering, Universitas Wijaya Kusuma Surabaya, Surabaya, Indonesia

E-mail: diana.puspitasari@uwks.ac.id

**Abstract.** The utilization of local raw materials, such as taro, avoids the gluten content usually found in wheat flour and creates innovation in the product development of biscuits. Taro has low protein content, thus requires the addition of other ingredients to meet the quality of the biscuits. The material used as a source of protein is mung bean flour. Besides, sago flour was used to improve the texture for being softer and crisp. The addition of sago flour also functions as an adhesive to replace the gluten found in wheat flour. This study aimed to determine the concentration of sago flour in biscuits of taro-mung bean composite flour that meet the quality standards of biscuits. The concentration of sago flour to taro-mung bean composite flour consists of four levels (0%, 20%, 40%, and 60%). The results showed that the selected treatment was the concentration of sago flour of 60%, with a total expected value of 6.10. Characteristics of the selected product include water content of 1.78%, carbohydrates of 63.55%, protein of 3.15%, fat of 29.86%, ash of 1.61%, the acceptance level of taste of 73.3%, color of 96.7%, and aroma of 90.0%.

#### 1. Introduction

Non-gluten biscuits are a necessity for people who have celiac diseases or those who have a gluten intolerance. Innovation in developing non-gluten biscuits can be done by utilizing local resources, including taro, mung beans, and sago. Taro tubers could also be used for making chips and flour. In the form of flour, taro can be more flexible in its processing and better shelf life. Likewise, while sago on the market, green beans are already in the form of flour that is ready to use [1, 2].

Research conducted by Puspitasari et al. [3] showed that composite flour with cowpea based on selected formulations could be processed into biscuits. Taro flour is prepared from taro, which is treated to reduce the itching that usually arises due to oxalate content. Research conducted previously by Nurani and Yuwono [4] has used *kimpul* flour as a raw material for cookies.

The addition of mung bean flour can increase the low protein content in taro flour. In addition to giving bioactive peptides and essential amino acids source, pulse proteins have functional properties, for instance, fat binding, water retention, foaming, and gelation, which increase their conceivable use in a large collection of food things [5]. For these reasons, legumes are ideal supplements for cereals in vegetarian diets with increased attention and concentration as functional ingredients. Among legumes,

Published under licence by IOP Publishing Ltd

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

doi:10.1088/1755-1315/733/1/012076

mung bean (*Vigna radiata L. Wilczek*) is a magnificent source of 23.25% protein [6]. It is one of the protein source plants of the least expensive and most productive [7]. Moreover, mung beans are rich in essential fatty acids, antioxidants, and minerals [8–10].

Adding sago flour will improve the texture and crispness of the resulting biscuits. The replacement of wheat flour with sago starch in the traditional formulation of cookies has been considered. It is reported that sago flour could submerge wheat flour to a degree of 40 percent in creating treats that discover great shopper acknowledgment in Southern Thailand. Nonetheless, purchaser acknowledgment of treats declined significantly when sago starch in the treat definition expanded past 40%, inferable from helpless appearance and a crumbly texture [11]. Sago can also be used as a raw material for the food industry. It can, among others, be processed into foods such as bagel (traditional cake), pearl sago, dry cakes, noodles, biscuits, crackers, *laksa* (fine noodles similar to vermicelli), and bio-ethanol [12]. This research aimed to determine the concentration of sago flour in biscuits of taro-mung bean composite flour.

#### 2. Methods

This examination utilized a Randomized Block Design (RBD) with a single factor, namely the concentration of sago flour to taro-mung bean composite flour with four levels, and repeated three times. In a preliminary study, the fraction of taro flour and mung bean flour used as initial composite flour was 50:50. Then, in the real experiment, sago flour according to treatment with a percentage: 0%; 20%; 40%; and 60% were added.

#### 2.1. Observation parameters

Chemical parameters tested were water content, carbohydrate content, ash content, protein content, and fat content. The organoleptic parameters tested were taste, color, and aroma.

#### 2.2. Data analysis

The analysis of variance does chemical test data processing. In the event that there is a distinction, the Duncan test was done with a 95% confidence level, and organoleptic analyzed using the Friedman Test method.

#### 2.3. Alternative selection

To determine the best treatment for the concentration of sago flour in taro-mung bean composite flour for biscuits in different formulations, an alternative selection was made. The definition of expected value is to choose a choice that has the greatest pay-off or least expense. For biscuit products, the parameters tested were water content, ash content, protein content, fat content, and taste, color, and aroma. The selection of alternatives was made in order to choose the greatest treatment from several present treatments. Decision making is a method of choosing the greatest treatment systematically. Determination of the importance of each factor carried out by the Analytical Hierarchy Process (AHP) test. Based on the Expectation Value method, as for defining the option of the greatest treatment.

#### 3. Results

#### 3.1. Chemical content

The results of the variance analysis presented that the percentage of sago flour to taro-mung bean composite flour was significantly different in water content, carbohydrate content, protein content, fat content, and ash content. Table 1 shows that the biscuit's water content with various sago flour addition was significantly different. The more proportion of sago flour that was added, the water content of biscuits will decrease. Water content is related to protein content; the more protein the more water content, and vice versa. In this study, the more sago flour was added, the less protein content.

The higher the extent of added sago flour, the carbohydrate content increases. The sago flour carbohydrate content has a higher amount than the composite of taro-mung bean flour. Sago flour has a carbohydrate content of 84.7%, while mung bean flour has a carbohydrate content of 72.86%, and taro

doi:10.1088/1755-1315/733/1/012076

flour has a carbohydrate of 71.56%. The statistical analysis result showed that there is a real association between treatments of carbohydrate content created. The more significant level of starch and the expansion in sago flour focuses are suspected on the grounds that sago flour contains higher sugar levels than sugar content in the composite flour of mung beans. As indicated by Baka et al. [12], sago contains a starch substance of 87.55%. The calculation of carbohydrate content in taro-mung bean-sago composite biscuits was finished by the distinction technique.

Treatment (% sago flour)	Water Content (%)	Carbohydrate Content (%)	Protein Content (%)	Fat Content (%)	Ash Content (%)
0	$3.07\pm0.04\ d$	$58.27 \pm 0.14 \; c$	$7.20\pm0.02~a$	$29.10\pm0.02\ d$	$2.53\pm0.05\ d$
20	$2.61\pm0.02~c$	$60.07 \pm 0.07 \ b$	$5.62\pm0.04\;b$	$29.59 \pm 0.03~c$	$2.23 \pm 0.04 \; c$
40	$2.17\pm0.03\ b$	$60.17 \pm 0.05 \ b$	$4.59 \pm 0.05 \ c$	$29.86\pm0.03\;b$	$2.92 \pm 0.03\ b$
60	$1.78\pm0.04~a$	$63.55 \pm 0.11$ a	$3.15 \pm 0.03 d$	$31.28\pm0.03\;a$	$1.61 \pm 0.02$ a

**Table 1.** Analysis of variance results chemical content of biscuits.

The greater quantity of added sago flour, the protein content decreases. The protein substance of sago flour has a lower amount compared to the composite of taro-mung bean flour. Sago flour has a protein content of 0.7%, while mung bean flour has a protein content of 19.09%, and taro flour has a protein of 6.43%. The higher the fraction of added sago flour resulted in a decrease of the protein level. These were supported by Tidore et al. [13], which shows the more starch flour is added, the lower the protein content. When the test is done, the greater the amount of sago flour added, the lower the amount of composite flour containing mung bean flour with high protein content, such that the protein content diminished. These were upheld by the finding of Man *et al.* [14]. The taro-mung bean-sago biscuits protein content is still below the Indonesian national standard (SNI) needed for biscuits (SNI 01-2973-1992), which contains at least 9% protein content.

The greater the percentage of added sago flour, the greater the fat substance increment. Fat assumes a critical function in the shelf life of food. Such moderately high-fat substances could be unwanted in heated food items since fat can advance rancidity in food, prompting the improvement of a horrendous and putrid compound. Fat is an energy source for biscuits [15]. This high-fat content was contributed by egg yolk as one of the biscuits' essential ingredients. The statistical analysis result indicated that there were substantial differences among treatments. The real difference was thought to be due to the difference in the percentage of sago flour added, which affects the fat substance difference. The greater the percentage of sago flour, the less proportion of taro-mung bean flour, the higher the fat substance of biscuits. These are supported by research results [16]. Mung beans have lesser oil content than wheat, which added to the diminishing fat substance of the cookies.


The more prominent the extent of added sago flour, the ash level decreases. Increasing the percentage of sago flour certainly reduces the proportion of mung beans, indicating a decrease in ash content. These upheld by the aftereffects of examination by Tidore et al. [13] shows that more starch flour was added, the ash content decreases as well as a decrease in ash content if the proportion of green beans decreases in the study [16]. There was thought to be caused by the addition of different levels of ash in the constituent materials. According to Puspitasari *et al.* [3], the composite ash powder of cowpea flour of 4.18%, and the ash substance of sago flour of 0.6%, so that with the expanding extent of sago flour, the subsequent ash substance of biscuits tends to be lower.

#### 3.2. Organoleptic parameters

The score of aroma, color, and taste of biscuits shown in Figure 1. The highest total score of taste parameters obtained by treatment sago flour 0%, 20%, and 40%. According to Winarno [17], taste is

doi:10.1088/1755-1315/733/1/012076

determined by taste and mouth stimulation. The texture and consistency of the material will also affect the taste caused by the content.



**Figure 1.** Result score of aroma, color, and taste of biscuits.

In the sago flour 60% treatment, there is the lowest score; this is possible because too much sago flour can make the texture of the biscuits more easily destroyed so that the panelists are less favored. The best score of the highest color parameter obtained by sago flour 40% treatment was 100%, while the lowest total score obtained by sago flour 0% treatment was 83.3. In the treatment of sago flour 0%, sago flour 20%, and sago flour 40%, the more the percentage of sago flour, the color of the biscuit will be more preferred. That was because the panelists liked the bright color of the biscuits. The more percentage of sago flour added, the more attractive the biscuit's color. The color of the biscuit is getting brighter due to the decreasing proportion of the composite of taro-mung bean flour, which can give the biscuit a dark color. In the treatment of sago flour 60%, the best score (3,4,5) from sago flour 40% decreased by 96.7%. It suspected that some panelists did not like the color of the biscuits that were too bright.

The best score of the highest aroma parameter obtained by sago flour 60% treatment was 90%, while the lowest best total score was obtained by sago flour 0% treatment by 60%. It suggests that the more the percentage of sago flour is added, the more biscuit aroma is preferred. That was presumably because of the more the percentage of sago flour, the unpleasant aroma of taro-mung bean composite flour.

#### 3.3. Alternative selection

AHP is a decision making procedure for multi measures problems. The multi-criteria problem in AHP is easy in the form of a hierarchy containing three core components: decision-making goals, criteria of assessment, and valuation alternatives. The priority scale of each parameter is shown in Figure 2. A priority scale is used to determine the best alternative treatment.




Figure 2. Priority scale of each parameter.

doi:10.1088/1755-1315/733/1/012076

The best alternative is the treatment that has the highest expectation score. The results of the expected score for each treatment shown in the histogram presented in Figure 3. The highest expectation score founded in the treatment of sago flour of 60% with an expected score of 6.10.




Figure 3. Total expectation value of biscuits.

#### 4. Conclusions

Based on the study conducted, it determined that the treatment of concentration sago flour 60% as selected treatment with a total score of 6.10. Moisture content of  $1.78\% \pm 0.04$ , carbohydrate content of  $63.55\% \pm 0.11$ , protein content of  $3.15\% \pm 0.03$ , fat content of  $29.86\% \pm 0.03$ , ash content of  $1.61\% \pm 0.02$ , taste level of 73.3%, color of 96.7%, and aroma of 90.0%.

#### Acknowledgment

This research was funded by internal research funds from the Institute for Research and Community Service, Universitas Wijaya Kusuma Surabaya.

#### References

- [1] Oyefeso B O, Raji A O 2020 Suitable model for thin layer drying kinetics of white and pink-fleshed tannia (*Xanthosoma sagitifolium*) cormels *LAUTECH J. Eng. Technology* **14** 1 1–7
- [2] Xie J, Ye H, Du M, Yu Q, Chen Y, Shen M 2020 Mung bean protein hydrolysates protect mouse liver cell line Nctc-1469 cell from hydrogen peroxide-induced cell injury *Foods* **9** 1 14
- [3] Puspitasari D, Rahayuningsih T, Rejeki F S 2015 Karakterisasi dan formulasi tepung komposit kimpul-kacang tunggak untuk pengembangan biskuit non terigu (Characterization and formulation of kimpul-cowpea composite flour for the development of non-wheat biscuits). Prosiding Seminar Agroindustri dan Lokakarya Nasional FKPT-TPI September 2015 2A18-A27 [In Indonesian]
- [4] Nurani S, Yuwono S S 2014 Pemanfaatan tepung kimpul (*Xanthosoma sagittifolium*) sebagai bahan baku cookies (kajian proporsi tepung dan penambahan margarin) (Utilization of kimpul flour (*Xanthosoma sagittifolium*) as raw material for cookies (Study of flour proportion and addition of margarine)) *J. Pangan dan Agroindustri* **2** 2 50–58 [In Indonesian]
- [5] Boye J, Zare F, Pletch A 2010 Pulse proteins: processing, characterization, functional properties and applications in food and feed *Food Res. Int.* **43** 2 414–431
- [6] Ekafitri R, Isworo R 2014 Pemanfaatan Kacang-Kacangan sebagai bahan baku sumber protein untuk pangan darurat (The Utilization of Beans as Protein Source for Emergency Food) *J. Pangan* **23** 2 134–145 [In Indonesian]
- [7] Pasha I, Rashid S, Anjum F M, Sultan M T 2011 Quality evaluation of wheat-mungbean flour blends and their utilization in baked products *Pakistan Journal of Nutrition* **10** 4 388-392
- [8] Kollárová K, Vatehová Z, Slováková L, Li D 2010 Interaction of galactoglucomannan oligosaccharides with auxin in mung bean primary root *Plant physiology and biochemistry* **48** 401–406

doi:10.1088/1755-1315/733/1/012076

- [9] Sulaeman A, Maya S, Sinaga T 2020 Alternative snack for diabetic patients from sago (*Metroxylon sp.*) starch and tempe *J. Gizi dan Pangan* **15** 1 27–36
- [10] Wabali V C, Giami S Y, Kiin-Kabari D B, Akusu O M 2020 Physiochemical, anti-nutrient and in-vitro protein digestibility of biscuits produced from wheat, african walnut and moringa seed flour blends *Asian Food Sci. J* 17–26
- [11] Konuma H, Rolle R, Boromthanarat S 2012 Adding value to underutilized food resources: substituting wheat flour with sago starch in cookie formulations *Journal of Agricultural Technology* **8** 3 1067–1077
- [12] Baka L A R, Hemon T, Pasolon Y B, Alberth 2013 System engineering of sago agro-industry development using a regional approach *Advances in Mathematics and Statistical Sciences* 488–493
- [13] Tidore Y, Mamuaja C, Koapaha T 2017 Pemanfaatan tepung kimpul (*Xanthosoma sagittifolium*) dan tepung tapioca pada pembuatan biskuit (Utilization of kimpul flour (*Xanthosoma sagittifolium*) and tapioca flour in processing of biscuits) *COCOS Jurnal Ilmiah Fakultas Pertanian Universitas Sam Ratulangi* 1 4 1-9 [In Indonesian]
- [14] Man S, Păucean A, Muste S 2014 Preparation and quality evaluation of gluten-free biscuits Buletin UASVM Food Science and Technology 71 1 38-44
- [15] Olaoye O A, Onilude A A, Oladoye C O 2007 Breadfruit flour in biscuit making: effects on product quality *African Journal of Food Science* 020-023
- [16] Yusufu M I, Obiegbuna J E 2015 Studies on the utilization of green bean as raw material in cookies produced from wheat flour *Agricultural Science Research Journal* **5** 6 92-97
- [17] Winarno F G 2004 *Kimia Pangan dan Gizi (Food Chemistry and Nutrition)* (Jakarta: Gramedia) [In Indonesian]