

DAFTAR PUSTAKA

- Abeway, S., Gebremichael, B., Murugan, R., Assefa, M., & Adinew, Y. M. (2018). Stunting and Its Determinants among Children Aged 6 – 59 Months in Northern Ethiopia : A Cross-Sectional Study. *Journal of Nutrition And Metabolism*, 2018.
- Acmad Syafiq. 2007. *Gizi dan Kesehatan Masyarakat*. Jakarta : Departemen Kesehatan
- Adriani, M. dan B. Wirjatmadi. 2012. *Peranan Gizi dalam Siklus Kehidupan*. Edited P. Group. Jakarta.
- Akombi, B. Jaka, E. Kingsley, J. John, Dafna, Thomas, and M.N Andre. 2017. Stunting and severe stunting among children under-5 years in Nigeria: A multilevel analysis. *Nigeria: BMC Pediatrics*
- Ali A, N.T. Iqbal, K.Sadiq K. 2016. Environmental enteropathy. *Curr Opin Gastroenterol*. 32: 12–17.
- Alisjahbana B., Rivami D. S., Octavia L., Susilawati N., Pangaribuan M., Alisjahbana A., et al. Intrauterine growth retardation (IUGR) as determinant and environment as modulator of infant mortality and morbidity: the Tanjungsari Cohort Study in Indonesia. *Asia Pacific Journal of Clinical Nutrition* 2019; 28 (Supplement 1)
- Anugraheni, HS. Faktor Resiko Kejadian Stunting pada Anak Usia 12-36 bulan di Kecamatan Pati Kabupaten Pati. *Artikel Penelitian. Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro*. Semarang; 2012.
- Ariati, Linda Ika Puspita. Faktor-Faktor Resiko Penyebab Terjadinya Stunting Pada Balita Usia 23-59 Bulan. *Oksitosin: Jurnal Ilmiah Kebidanan*, 2019, 6.1: 28- 37
- Asfaw M, M. Wondaferash, M. Taha, and L. Dube. 2015. Prevalence of under nutrition and associated factors among children aged between six to fifty nine months in Bule Hora district, South Ethiopia. *BMC Public Health*; 15:41.
- BAPPENAS. 2011. *Rencana Aksi Nasional Pangan dan Gizi 2011-2015*.
- Beal, Ty, Danh Tuyen Le, Thi Huong Trinh, Dharani Dhar Burra, Tuyen Huynh, Thanh Thi Duong, Tuyet Mai Truong, Duy Son Nguyen, Kien Tri Nguyen, Stef de Haan, and Andrew D. Jones. 2019. “Child Stunting Is Associated with Child, Maternal, and Environmental Factors in Vietnam.” *Maternal and Child Nutrition* 15(4).

- Bhutta ZA, Das JK, Rizvi A, Gafey MF, Walker N, Horton S, Webb P, Lartey A, Black RE, et al. Evidence-based interventions for improvement of maternal and child nutrition: what can be done and at what cost? *Lancet*. 2013;382(9890):452–77.
- Black, R. E., Allen, L. H., Bhutta, Z. A., Caulfield, L. E., De Onis, M., Ezzati, M., ... & Maternal and Child Undernutrition Study Group. (2008). Maternal and child undernutrition: global and regional exposures and health consequences. *The lancet*, 371(9608), 243-260.
- Bovet P, N. Kizirian, G. Madeleine, M. Blössner, and A. Chiolero. 2011. Prevalence of thinness in children and adolescents in the Seychelles: comparison of two international growth references. *Nutr J*.10:65.
- Bustami, Bustami, and Miko Ampera. 2020. “The Identification of Modeling Causes of Stunting Children Aged 2–5 Years in Aceh Province, Indonesia (Data Analysis of Nutritional Status Monitoring 2015).” *Open Access Macedonian Journal of Medical Sciences* 8(E):657–63.
- Cherry, A. L., Byers, L., & Dillion, M. (2009). A Global Perspective on Teen Pregnancy. In J Ehiri (Ed.), *Maternal and Child Health: Global Challenges, Programs, and Policies* (pp. 375-397). Springer.
- Choi YY, Ludwig A & Harris JL (2020) US toddler milk sales and associations with marketing practices. *Public Health Nutr* 23, 1127–1135.
- Dake SK, Solomon FB, Bobo TM, Tekle HA, Tufa EG (2019). Predictors of stunting among children 6– 59 months of age in Sodo Zuria District, South Ethiopia: a community based cross-sectional study. *BMC Nutr*, 5(23): 1
- Darteh, E.K.M.; Acquah, E.; Darteh, F. Why are our children wasting: Determinants of wasting among under 5 s in Ghana. *Nutr. Health* 2017, 23, 159–166.
- De Onis M and F.Branca. 2016. Childhood stunting: a global perspective. *Matern Child Nutr* 12(1, Suppl 1):12–26
- De Onis M, Branca F. Childhood stunting: a global perspective. *Maternal & child nutrition*. 2016;12:12–26.
- Derso T, Tariku A, Biks GA, Wassie MM. Stunting, wasting and associated factors among children aged 6–24 months in Dabat health and demographic surveillance system site: a community based cross-sectional study in Ethiopia. *BMC Pediatr*. 2017;17(1):96
- Dewey KG, Mayers DR. Early child growth: how do nutrition and infection interact? *Matern Child Nutr* 2011;7 Suppl 3:129–42

- Dewi, A. 2009. Faktor-faktor yang mempengaruhi Kegagalan Pemberian Air Susu Ibu Eksklusif pada Ibu Bekerja.
- Fatimah, S., I. Nurhidayah, dan W. Rakhmawati. 2008. Faktor-Faktor yang Berkontribusi terhadap Status Gizi pada Balita di Kecamatan Ciawi Kabupaten Tasikmalaya, 10(Xviii), pp. 37–51.
- Fedriansyah, D., Paramashanti, B. A., & Paratmanitya, Y. (2020). Faktor Sosial Ekonomi Dan Stunting Pada Anak Usia 6-23 Bulan. *Media Gizi Pangan*, 27(September), 2020.
- Flora. 2021. Stunting dalam kajian molekuler. Palembang: Universitas Sriwijaya
- Greffeuille V, Sophonneary P, Lailou A, et al. Persistent inequalities in child undernutrition in Cambodia from 2000 until today. *Nutrients* 2016;8:297
- Guruge NG, Goonasekara M, Dharmaratne S, Gunathunga M (2017). Engaging a rural community in identifying determinants of low birth weight and deciding on measures to improve low birth weight: an experience from a Sri Lankan Study. *J Health Popul Nutr.* 36(1): 36-41.
- Haile, Demwoz, Azage Muluken, Mola Tegegn, and Rainey Rochelle. 2016. Exploring spatial variations and factors associated with childhood stunting in Ethiopia: spatial and multilevel analysis. Ethiopia: *BMC Pediatrics*
- Handayani S, Kapota WN, Oktavianto E. Hubungan status ASI eksklusif dengan kejadian stunting pada balita usia 24-36 bulan di desa watugajah kabupaten gunungkidul. *Jurnal Medika Respati.* 2019; Vol. 14 No 4: Hal 291
- Handy, F. 2015. A-Z Perawatan Bayi. Jakarta: Pustaka Bunda Grup.
- He Z., Bishwajit G., Yaya S., Cheng Z., Zou D., & Zhou Y. Prevalence of low birth weight and its association with maternal body weight status in selected countries in Africa: a cross-sectional study. *BMJ Open* 2018; 8(8): e020410.
- Hosseinpoor AR, Speybroeck N, Van Ourti T, Vega J. Socioeconomic inequality in malnutrition in developing countries. *Bull World Health Organ.* 2008;86(4):282–91
- Hu R, Eussen S, Sijtsma FPC, et al. (2021) Maternal dietary patterns are associated with human milk composition in Chinese lactating women. *Nutrition (Burbank, Los Angeles County, Calif.)* 91–92: 111392

- Husnaniyah D, Yulyanti D, Rudiansyah R. Hubungan Tingkat Pendidikan Ibu dengan Kejadian Stunting. *Indones J Heal Sci.* 2020;12(1):57–64.
- Ikatan Dokter Anak Indonesia. 2013. Nilai Nutrisi Air Susu Ibu. Jakarta: Penerbit IDAI.
- Jiang Y, X. Su, and C. Wang. 2015. Prevalence and risk factors for stunting and severe stunting among children under three years old in mid-western rural areas of China. *Child Care Health Dev.* 41(1):45-51.
- Indrastuty, D., & Pujiyanto. Determinan Sosial Ekonomi Rumah Tangga dari Balita Stunting di Indonesia: Analisis Data Indonesia Family Life Survey (IFLS) 2014. *Jurnal Ekonomi Kesehatan Indonesia*; 2018.
- Kabaran, S. 2018. Maternal and Child Nutrition: Importance of the First 1000 Days. *Int J Clin Nutr Diet* 4: 133. doi: <https://doi.org/10.15344/2456-8171/2018/133>
- Kania, N. (2006). Stimulasi tumbuh kembang anak untuk mencapai tumbuh kembang yang optimal. Bandung: Universitas Padjajaran. *Lactation*, 17(4), 321-325
- Kemendes RI. 2014. Situasi dan Analisis ASI Eksklusif. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. 2015. Infodatin - Situasi dan Analisis Gizi, Kemendes RI, Pusat data dan informasi, pp. 1–7.
- Kementerian Kesehatan RI. 2015. Profil Kesehatan Indonesia Tahun 2014. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementrian Kesehatan RI. 2010. Keputusan Menteri Kesehatan Republik Indonesia NOMOR: 1995/MENKES/SK/XII/2010 Tentang Standar Antropometri Penilaian Status Gizi Anak. Jakarta: Kemendes RI.
- Kementrian Kesehatan RI. 2010. Riset Kesehatan Dasar. Jakarta: Kemendes RI.
- Kristianto, Y. dan T. Sulistyarini. (2013) Faktor yang Mempengaruhi Perilaku Ibu dalam Pemberian Makanan Pendamping ASI pada Bayi Umur 6-36 Bulan *Jurnal Penelitian STIKES Kediri*, 6(1), pp. 99–108.
- Kurniati AM, Sunardi D, Sungkar A, et al. (2016) Associations of maternal body composition and nutritional intake with fat content of Indonesian mothers' breast milk. *Pediatr Indones* 56: 298–304.
- Kutbi, H.A. Nutrient Intakes of Children: Associations with Maternal Use of Pressure to Eat and a Healthy Home Food Environment. *Nutrients* 2021, 13, 2082. <https://doi.org/10.3390/nu13062082>

- Lailatul M, Ni'mah. C. Hubungan Tingkat Pendidikan, Tingkat Pengetahuan dan Pola Asuh Ibu dengan Wasting dan Stunting pada Balita Keluarga Miskin. *Media Gizi Indones.* 2015;10(2015):84–90.
- Lawoyin, T. O., Olawuyi, J. F., & Onadeko, M. O. (2001). Factors associated with exclusive breastfeeding in Ibadan, Nigeria. *Journal of Human*
- le Roux, K., Christodoulou, J., Stansert-Katzen, L., Dippenaar, E., Laurenzi, C., le Roux, I. M. et al. (2019). A Longitudinal Cohort Study of Rural Adolescent vs Adult South African Mothers and Their Children from Birth to 24 Months. *BMC Pregnancy and Childbirth*, 19, Article No. 24
- Leslie. 2003. Women Role in Food Chain Activities And The Implication For Nutrition United National
- Lestari EF, Dwihestie LK. ASI Eksklusif berhubungan dengan kejadian stunting pada balita. *Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal. Sekolah Tinggi Ilmu Kesehatan Kendal.* 2020
- Li, L.; Ma, J.; Cheng, Y.; Feng, L.; Wang, S.; Yun, X.; Tao, S. Urban-rural disparity in the relationship between ambient air pollution and preterm birth. *Int. J. Health Geogr.* 2020, 19, 23
- Lukman TNE, Anwar F, Riyadi H, Harjomidjojo H, Martianto D (2021). Birth weight and length associated with stunting among children under-five in Indonesia. *I Jurnal Gizi Dan Pangan*, 16(1): 99–108
- Lule, E., Rosen, J. (2009). Chapter 24: Adolescent Health. In J. Ehiri (Ed.), *Maternal and Child Health: Global Challenges, Programs, and Policies* (pp. 435-462). Springer.
- Marlan, P. et al (2017). The Relationship Between Exclusive Breastfeeding and Stunting Incidences in Children Age 13-36 Months in Sonder Health Center Area
- Marmi K,R.,2012. *Asuhan Neonatus, Bayi, Balita, dan Anak Prasekolah.* Yogyakarta: Pustaka Belajar.
- MCA (2013) 'Stunting dan Masa Depan Indonesia', 2010, pp. 2–5.
- Menon P, Ruel MT, Morris SS. Socio-Economic differentials in child stunting are consistently larger in urban than rural areas. *Food Nutr Bull* 2000;21:282–9
- Ministry of Health. (2018). *Infodatin Situasi Balita Pendek.* Jakarta: Ministry of Health.

- Mohammed, S. H., Muhammad, F., Pakzad, R., & Alizadeh, S. (2019). Socioeconomic inequality in stunting among under-5 children in Ethiopia: A decomposition analysis. *BMC Research Notes*, 12(1). <https://doi.org/10.1186/s13104-019-4229-9>
- Mtongwa RH, Festo C (2021). A comparative analysis of determinants of low birth weight and stunting among under five children of adolescent and nonadolescent mothers using 2015/16 Tanzania Demographic and Health Survey (TDHS), *BMC Nutr*, 7(1)
- Muslihatun, WN.2010. *Asuhan Neonatus Bayi dan Balita*. Yogyakarta : Fitramaya.
- Na M, Aguayo VM, Arimond M, et al. Trends and predictors of appropriate complementary feeding practices in Nepal: an analysis of national household survey data collected between 2001 and 2014. *Matern Child Nutr* 2018;14 Suppl 4:1–13
- Nainggolan BG, Sitompul M (2019). Hubungan berat badan lahir rendah (bblr) dengan kejadian stunting pada anak usia 1-3 tahun (The relationship between low birth weight (bblr) and the incidence of stunting in children aged 1-3 years), *Nutr. J*, 3(1): 36.
- Napirah, M. R., Rahman, A., & Tony, A. Faktor – Faktor yang Berhubungan Dengan Pemanfaatan Pelayanan Kesehatan Di Wilayah Kerja Puskesmas Tambarana Kecamatan Poso Pesisir Utara Kabupaten Poso. *Jurnal Pengembangan Kota*; 2016. 4(1), 29-39
- Nie, P.; Rammohan, A.; Gwozdz, W.; Sousa-Poza, A. Changes in child nutrition in India: A decomposition approach. *Int J. Environ. Res. Pub. Health* 2019, 16, 1815
- Novianti I, Mardianti D, Muchtar AS (2020). Pemberian asi dan BBLR berhubungan dengan kejadian stunting pada balita usia 12-36 bulan (Breast feeding and LBW are associated with the incidence of stunting in toddlers aged 12-36 months), *J. Kebidanan Malahayati*, 6(3): 329–334.
- Nurdiana I (2015) Hubungan Tingkat Pengetahuan Ibu dan Ketersediaan Fasilitas Penunjang ASI Eksklusif dengan Pemberian ASI. Universitas Muhammadiyah Surakarta.
- Nurmalasari Y, Anggunan A, Febriany TW. Hubungan Hubungan Tingkat Pendidikan Ibu Dan Pendapatan Keluarga Dengan Kejadian Stunting Pada Anak Usia 6-59 Bulantingkat Pendidikan Ibu Dan Pendapatan Keluarga Dengan Kejadian Stunting Pada Anak Usia 6-59 Bulan Di Desa Mataram Ilir Kecamatan Seputih Sur. *J Kebidanan Malahayati*. 2020;6(2):205–11.

- Picauly, I. and S. M. Toy. (2013) 'Analisis Determinan dan Pengaruh Stunting terhadap Prestasi Belajar Anak Sekolah di Kupang dan Sumba Timur , NTT', *Jurnal Gizi dan Pangan*, 8(1), pp. 55–62.
- Pramulya I, Wijayanti F, Saparwati M. Hubungan Pemberian ASI Eksklusif dengan Kejadian Stunting Pada Balita Usia 24-60 Bulan. *Jurnal Kesehatan Kusuma Husada*. 2021;35–41.
- Prasetyono, D. S. (2012) *Buku Pintar ASI Eksklusif*. Yogyakarta: Diva Press.
- Prawirohardjo S.2010. *Ilmu Kebidanan*. 4 ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo.
- Proverawati. 2010. *Buku Ajar Gizi untuk Kebidanan*. Jogjakarta: Nuha Meidika.
- Raharja, U. M. P., Waryana, W., & Sitasari, A. (2019). Status ekonomi orang tua dan ketahanan pangan keluarga sebagai faktor risiko stunting pada balita di Desa Bejiharjo. *Ilmu Gizi Indonesia*, 03(01), 73–82.
- Rahman M. S., Howlader T., Masud M. S., & Rahman M. L. Association of low-birth weight with malnutrition in children under five years in Bangladesh: do mother's education, socio-economic status, and birth interval matter?. *PloS One* 2016; 11(6):e0157814
- Rahmawati, N. F., Fajar, N. A., & Idris, H. (2020). Faktor sosial, ekonomi, dan pemanfaatan posyandu dengan kejadian stunting balita keluarga miskin penerima PKH di Palembang. *Jurnal Gizi Klinik Indonesia*, 17(1), 23-33.
- Ramli K.E.A, K.J. Inder, S.J.Bowe, J. Jacobs,and M.J. Dibley. 2009. Prevalence and risk factors for stunting and severe stunting among under-fives in north Maluku province of Indonesia. *BMC Pediatr*. 9:64
- Riset Kesehatan Dasar. 2007. Jakarta: Kemenkes RI.
- Roesli, U. (2010) *Mengenal ASI Eksklusif*. Jakarta: Trubus Agriwidya
- Roux K, Christodoulou J, Stansert-katzen L, Dippenaar E, Laurenzi C, Roux IM, et al. A longitudinal cohort study of rural adolescent vs adult south African mothers and their children from birth to 24 months. *BMC Pregnancy Childbirth*. 2019;8:1–8
- Rusliani, N., Hidayani, W. R., dan Sulistyoningsih, H. (2022). Faktor-Faktor yang Berhubungan dengan Kejadian Stunting pada Balita.
- Santosa A, Novanda E, Ghoni DA (2022). Effect of maternal and child factors on stunting: partial least squares structural equation modeling. *Clin. Exp. Pediatr*, 65(2): 90-97

- Sarma, H., Khan, J. R., Asaduzzaman, M., Uddin, F., Tarannum, S., Hasan, M. M., and Ahmed, T. (2017). *Factors Influencing the Prevalence of Stunting Among Children Aged Below Five Years in Bangladesh*. *Food and Nutrition Bulletin*, 38(3), 291-301. <https://doi.org/10.1177/0379572117710103>
- Scherbaum, V., & Srour, M. L. (2016). The role of breastfeeding in the prevention of childhood malnutrition. *Hidden Hunger*, 115, 82-97.
- Septiana, R., R. S. N. Djannah, dan M.D. Djamil. (2010) Hubungan Antara Pola Pemberian Makanan Pendamping ASI (MP-ASI) dan Status Gizi Balita Usia 6-24 Bulan, *KES MAS*, 4(2), pp. 76–143.
- Soetjiningsih (2008) *ASI Petunjuk untuk Tenaga Kesehatan*. Jakarta: EGC.
- Srivastava, S.; Chandra, H.; Singh, S.K.; Upadhyay, A.K. Mapping changes in district level prevalence of childhood stunting in India 1998–2016: An application of small area estimation techniques. *SSM-Popul. Health* 2021, 14, 100748
- Stewart, C. P., Iannotti, L., Dewey, K. G., Michaelsen, K. F., & Onyango, A. W. (2013). Contextualising Complementary Feeding in a Broader Framework for Stunting Prevention. *Maternal & Child Nutrition*, 9, 27-45
- Stewart, C. P., L. Iannotti, K.G. Dewey, K.F. Michaelsen, and A.W. Onyango. (2013). Contextualising complementary feeding in a broader framework for stunting prevention. *Maternal & Child Nutrition*, 9, 27–45. <https://doi.org/10.1111/mcn.12088>
- Sukmawati, Hendrayati, Chaerunnimah, Nurhumaira (2018). Status gizi ibu saat hamil, berat badan lahir bayi dengan stunting pada balita (Maternal nutritional status during pregnancy, birth weight of babies with stunting in toddlers). *Media Gizi Pangan*, 25(1): 18–24
- Sulistyawati A (2009) *Asuhan Kebidanan pada Ibu Nifas*. Yogyakarta: Andi.
- Sunuwar, D.R.; Singh, D.R.; Pradhan, P.M. Prevalence and factors associated with double and triple burden of malnutrition among mothers and children in Nepal: Evidence from 2016 Nepal demographic and health survey. *BMC Public Health* 2020, 20, 405.
- Suryaningsih, C. (2012) *Pengaruh Demonstrasi dan Pendampingan Menyusui terhadap Motivasi dan Kemampuan Ibu dalam Pemberian ASI*. Universitas Indonesia.
- Tesema GA, Worku MG, Tessema ZT, Teshale AB, Alem AZ, Yeshaw Y, et al. Prevalence and determinants of severity levels of anemia among

children aged 6–59 months in sub-Saharan Africa: a multilevel ordinal logistic regression analysis. *PLoS ONE*. 2021;16:e0249978

Tyagi S, Gurudayal S, Neena B. *International journal of health sciences and research*. *Int J Heal Sci Res*. 2017;7(August):422–33

UNICEF. 2009. *Tracking Progress on Child and Maternal Nutrition a Survival and Development Priority*. New York. USA www.unicef.org/publications.

UNICEF. 2014. *The State of the World's Children 2014 in Numbers. Everychild Counts: Revealing Disparities, Advancing Children's Rights*. New York. USA www.unicef.org/publications

UNICEF. 2013. *Improving Child Nutrition: the Achievable Imperative for global progress*. UNICEF. New York.

Vaivada T, Akseer N, Akseer S, Somaskandan A, Stefopoulos M, Bhutta ZA. Stunting in childhood: an overview of global burden, trends, determinants, and drivers of decline. *Am J Clin Nutr*. 2020;112(Suppl 2):777S-791S.

Victora, C.G.; Adair, L.; Fall, C.; Hallal, P.C.; Martorell, R.; Richter, L.; Sachdev, H.S. Maternal and child undernutrition: Consequences for adult health and human capital: *Maternal and Child Undernutrition 2*. *Lancet* 2008, 17, 340–357.

Wahyuni, D., & Fitrayuna, R. (2020). *PENGARUH SOSIAL EKONOMI DENGAN KEJADIAN STUNTING PADA BALITA DI DESA*

Walyani, E. S. 2015. *Perawatan Kehamilan dan Menyusui Anak Pertama agar Bayi Lahir dan Tumbuh Sehat*. Yogyakarta: Pustaka Baru Press.

Wirth, J. P., F. Rohner, N. Petry, A.W. Onyango, J. Matji, A. Bailes, B.A. Woodruff. 2017. Assessment of the WHO stunting framework using Ethiopia as a case study. *Maternal & Child Nutrition*, 13(2). n/a-n/a. <https://doi.org/10.1111/mcn.12310>

Woldeamanuel BT. Risk Factors Associated with Under-Five Stunting , Wasting , and Underweight Based on Ethiopian Demographic Health Survey Datasets in Tigray Region , Ethiopia. *Hindawi J Nutr Metab*. 2019;2019:1 –11

World Health Organization (2014). *Global Nutrition Targets 2025: Low Birth Weight Policy Brief (WHO/NMH/NHD/14.5)*. World Health Organization

- World Health Organization. 2013. Childhood Stunting: Challenges and Opportunities. Switzerland: Department of Nutrition for Health and Development. www.who.int
- Yanti, N. D., Betriana, F., & Kartika, I. R. (2020). Faktor Penyebab Stunting Pada Anak: Tinjauan Literatur. *REAL in Nursing Journal*, 3(1), 1–10.
- Yuliarti, N. (2010) Keajaiban ASI-makanan Terbaik untuk Kesehatan, Kecerdasan, dan Kelincahan si Kecil. Yogyakarta: CV Andi Offset
- Yuniarti, T. S., Margawati, A. and Nuryanto (2019) 'Risk Factors for Stunting in Children Age 1-2 Years in the ROB Area of Pekalongan City', *Nutrition Research Journal*, 7(2), pp. 75–78
- Yusuf, R. (2018). Hubungan Sosial Ekonomi Dengan Kejadian Stunting Pada Balita Usia 2-5 Tahun Di Wilayah Kerja Puskesmas Barombong. Skripsi, 5–24
- Fedriansyah, D., Paramashanti, B. A., & Paratmanitya, Y. (2020). Faktor Sosial Ekonomi Dan Stunting Pada Anak Usia 6-23 Bulan. *Media Gizi Pangan*, 27(September), 2020
- Wardani, D. W., Suharmanto, S., & Wulandari, M. (2020). Hubungan Faktor Sosial Ekonomi dan Ketahanan Pangan terhadap Kejadian Stunting pada Balita. *Jurnal Kesehatan*, 11(2), 287-293
- Raharja, U. M. P., Waryana, W., & Sitasari, A. (2019). Status ekonomi orang tua dan ketahanan pangan keluarga sebagai faktor risiko stunting pada balita di Desa Bejiharjo. *Ilmu Gizi Indonesia*, 03(01), 73–82.
- Halim, L. A., Warouw, S. M., & Manoppo, J. I. C. (2018). Hubungan Faktor-Faktor Risiko Dengan Stunting pada Anak Usia 3-5 Tahun di Tk/Paud Kecamatan Tuminting. *Jurnal Medik Dan Rehabilitasi*, 1, 1–8.
- Margawati, A., & Astuti, A. M. (2018). Pengetahuan ibu, pola makan dan status gizi pada anak stunting usia 1-5 tahun di Kelurahan Bangetayu, Kecamatan Genuk, Semarang. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 6(2), 82–89.
- Rahmawati, N. F., Fajar, N. A., & Idris, H. (2020). Faktor sosial, ekonomi, dan pemanfaatan posyandu dengan kejadian stunting balita keluarga miskin penerima PKH di Palembang. *Jurnal Gizi Klinik Indonesia*, 17(1), 23-33.
- Wijayanti, E. E. (2019). Hubungan Antara BBLR, ASI Eksklusif dengan Kejadian Stunting Pada Balita Usia 2-5 Tahun. 7(1), 36–41.

Windasari, D. P., Syam, I., & Kamal, L. S. (2020). Faktor Hubungan Dengan Kejadian Stunting Di Puskesmas Tamalate Kota Makassar (Factors Related To The Incidence Of Stunting At The Tamalate Health Center In Makassar City). 2020(5), 27–34.