

The effect of _Project_Performance_to _Sati sfaction_of _The _Project_Owner

by Miftahul Huda

Submission date: 05-Dec-2019 12:42PM (UTC+1000)

Submission ID: 1227349499

File name: of_Project_Performance_to_Satisfaction_of_The_Project_Owner.pdf (311.63K)

Word count: 3447

Character count: 21329

9

The Effect of Project Performance to Satisfaction of The Project Owner

Miftahul Huda

Lecturer of Civil Engineering Department Faculty of Engineering,
University of Wajaya Kusuma Surabaya

¹Email : miftah@yahoo.ac.id

Abstract : One measure of contractor company quality is how far the performance of the company can give satisfaction to the project owner. This study aims to analyze the factors of contractor performance that affect the satisfaction of project owners. The study was conducted in Surabaya City Indonesia involving all Heads and Staffs Department of Surabaya City Government as respondents. The research instrument used a Likert scale questionnaire (1-5). Methods of data collection using purposive and proportional sampling. Data analysis using structural equation modeling with the help of SmartPLS software. The results of this study conclude that all analyzed factors are composed of : project performance (X1), project products (X2), project services (X3), green construction (X4), health and safety work (X5) have a positive and significant impact on project owner satisfaction (Y).

Keywords ; performance, contractor, satisfaction, project owner

4

I. INTRODUCTION

Customer satisfaction has become a central concept in business and management discourse (Tjiptono & Chandra, 2005) [1]. Customers generally expect products in the form of goods or services that they consume acceptable and enjoyed with good or satisfactory service (Assauri, 2003) [2]. Similarly in the construction services industry, the importance of customer satisfaction (project owner) and orientation to the project owner has grown due to the tightness of business competition. As a service provider, in this case the contractor must work as much as possible to satisfy the project owner who acts as a customer. In the past, performance in the field of construction has been measured by cost, time, and quality factors or it can also be called a triple constraint. From the "triple constraint", a project is considered successful if the project is delivered or completed in a timely manner at the right price and high quality (Agsarini & Wiguna, 2015) [3]. However, research in the case of the satisfaction of users of construction services (project owners) is still small and rarely done.

In the world of construction services, project owner satisfaction can be identified with project performance (Wieke et al., 2012) [4]. The higher the project performance the more satisfied the project owner. Some of the previous studies that took the theme of project performance were related to safety and health (Wieke et al., 2012) [4] or related to the environment (green construction) as investigated by Huda et al, (2013) [5] which examines important factors affecting the implementation of green construction in the pre-construction, construction and post-construction phases. All parties agree that the problem of green construction is a global issue that must be realized in every country and become the focus of attention of stakeholders in the world of construction (Harimurti, 2008; Colliver, 2009) [6] [7].

So far in the previous research, to measure customer satisfaction conducted in Indonesia more oriented to the object of research services such as services, among others; on banking services (Wijayanti, 2008; Indra & Gunarsih, 2006) [8] [9], hospital or health services (Wiyono, 2007; Praptiwi, 2009; Wijayanti, 2009; Prasetyo, 2008) [10] [11] [8] [12] Telkomsel or telecommunication services (Hadiati & Ruci, 2009), transport services (Manullang, 2008; Mutaqin, 2006; Widiyartie, 2007; Fahmi, 2009; Chairunnisa, 2008) [13] [14] [15] [16] [17], and educational services (Munawaroh, 2005; Wang & Shieh, 2006; Natalisa, 2007) [18] [19] [20]. While research conducted on the object of construction services at both the national and international levels is relatively small. Therefore research related to the satisfaction of the owner of the construction project becomes very important and necessary to be implemented.

II. MATERIALS & METHODS

A. Data and research instrument

The research instrument is a questionnaire using Likert scale (1-5). Data collected from Surabaya City Government Agency with purposive sampling and proportional sampling technique. The number of respondents and questionnaires are distributed as many as 125 respondents. Respondents who answered and returned the questionnaire were 87 respondents and deserve the analysis of 81 respondents' answers. The results of the complete data collection are shown in Table 1.

TABLE 1. Number of Questionnaires Distributed to Respondents

No	Surabaya City Government Agencies (Department)	Number of Questionnaires		
		Sent	Back	Eligible
1	Department of Cipta Karya & Tata Ruang	15	10	9
2	Department of Bina Program	15	11	10
3	Department of Building & City Management,	15	15	14
4	Department of Public Works of Bina Marga,	15	14	14
5	Department of Education	5	2	2
6	Department of Public Health	5	5	4
7	Department of Transportation	5	3	3
8	Department of Culture & Tourism	5	1	0
9	Department of Youth & Sports	5	2	2
10	Department of Trade & Industry	5	4	4
11	Department of Agriculture	5	1	1
12	Department of Cleanliness and Gardening	5	5	5
13	Department of Fire Service	5	0	0
14	Department of Revenue & Financial Management	5	5	4
15	Department of Communications & Informatics	5	5	5
16	Department of Koperasi & UMKM	5	2	1
	Amount	125	87	81

Source : Secondary data

B. Modeling

The research variables are five independent variables and one dependent variable. The influence of independent variables and dependent variables is based on theoretical and empirical studies of some previous research results: Agsarini & Wiguna (2015) [3]; Huda & Wibowo (2013) [21]; Omran et al. (2012) [22]; Sumaga (2013) [23]; Idrus and Sodangi (2011) [24]; Colliver et al., (2009) [7]; Devia & Huda, (2012) [25]; Wieke et al., (2012) [4] and Agsarini & Wiguna (2015) [3].

Research results from Agsarini & Wiguna (2015) [3]; Huda & Wibowo (2013) [21]; Omran et al. (2012) [22], concludes that the performance of a construction project is said to be good and can give satisfaction to the project owner if the project is successful in three things: low cost, high quality and timely completion. The result study of Sumaga (2013) [23] and Idrus & Sodangi (2011) [24] concluded that project construction products and contractor service quality can satisfy project owners. Huda et al. (2013) [5] and Devia & Huda (2012) [25] recommend the satisfaction of the project owner if the project is carried out with care for the environment (green construction). Wieke et al. (2012) [4] in his study concluded that simultaneously and partially the occupational health and safety work factors in the implementation of a project can provide satisfaction to the project owner.




Figure 1. Research Model Framework

C. Variable Definitions and Indicators

15

- 1) Project Performance (X1) : is the ability of the contractor to carry out the construction work in accordance with the construction work contract agreed with the project owner. The project performance variable is formed on 3 indicators adapted from Agsarini&Wiguna (2015) [3], Huda &Wibowo (2013) [21]; Omran et al., (2012) [22], consists of indicators: (a) cost of construction works (X11), (b) time of execution of work (X12) and (c) quality of work (X13).
- 2) Project Products (X2): is the end result of the development process from planning, engineering, auction and construction of construction projects undertaken by the contractor in accordance with the contract of work agreed upon by each party. This construction project product variable is a global dimension and has at least 7 indicator elements adopted from Sumaga (2013) [23] and Idrus&Sodangi (2011) [24], which consists of indicators: (a) performance, (X21), (b) durability (X22), (c) privileges (X23), (d) reliability, (X24), (e) consistency (X25), (f) aesthetic (X26) and (g) conformance (X27)
- 3) Project Services (X3): is the ability of construction service companies to provide services to users of project owners in all aspects, whether written or implied, in morally or materially. The service variable of the popular service concept construction service concept, ServQual stated that the service quality has 9 dimensions (indicator), which is adopted from Parasuraman in Sumaga (2013) [23] and Idrus&Sodangi (2011) [24], which consists of indicators: (a) reliability (X31), (b) responsiveness (X32), (c) assurance (X33), (d) empathy (X34), (e) tangible (X35), (f) understanding (X36), (g) competence (X37), (h) credibility (X38) and (i) communication (X39)
- 4) Green construction (X4): The technology and techniques used by contractors in the construction of project-oriented construction projects taking into account the energy, pollution, water, air, materials, equipment have an impact or risk to the environment. This green construction variable is a global issue and has at least 5 indicator elements adopted from Colliver et al., (2009) [7]; Huda et al. (2013) [5] and based on Devia&Huda's research (2012) [25] which consists of indicators: (a) technology (X41), (b) project cycle (X42), (c) energy saving (X43), (d) pollution (X44), (e) material (X45) and (f) efficiency (X46).
- 5) Work Safety and Health, (X5) : Involvement and active role of the management of contractor companies in formulating programs, shaping culture and realizing safety and health in the construction project environment, accompanied by a high commitment to realize the health and safety of the project environment during the project. This construction and occupational safety variable is a service provider's competency dimension and has at least 5 indicator elements adopted from Wieke et al. namely : (a) top management commitments (X51), (b) rules and procedures (X52), (c) communication (X53), (d) employee competence (X54), (e) worker involvement (X55) and (f) work environment (X56).
- 6) Represents the totality of the project owner's expectations in accordance with the totality of the contractor's work. Based on previous research results : Agsarini&Wiguna(2015)[3] ; Idrus&Sodangi (2011) [24] the satisfaction of contractor owners has indicator: (a) total project cost (Y1), (b) total project implementation (Y2), (c) total project completion time (Y3) and (d) total quality project (Y4).

D. Data Analysis Technique and Model Test

Descriptive analysis is used to describe the characteristics of respondents and also the responses of respondents. Descriptive analysis is done with the help of computer software SPSS. Similarly, validity test and tool reliability. The measuring tool is valid if the Product Moment correlation coefficient between the item score and the total score is significant ($p\text{-value} / \text{sig value} < \alpha = 0.05$). Reliability testing is done by calculating Alpha Cronbach (α) value, if Cronbach Alpha value (α) is greater than 0.60 then research data is considered good enough and reliable to be used as input in data analysis process to test the research hypothesis (Maholtra, 2004) [26].

The results obtained that the value of cornbach alpha from each research variable > 0.6 . This means that each research variable has met the requirements of cornbach alpha value, so it can be concluded that all variables have a high level of internal consistency reliability. Similarly, based on the results obtained that the value of composite reliability of all research variables > 0.7 . These results indicate that each variable has met the composite reliability so it can be concluded that the overall variable has a high level of internal consistency reliability.

5

The model analysis used in this research is Structural Equation Modeling (SEM) with the help of SmartPLS software. The results of the model analysis can be seen in Figure 2 and Figure 3. Figure 2 shows that the loading factor estimation result is the coefficient generated from the evaluation of confirmatory factor analysis for the measurement model. Factor loading is used to assess the suitability, conformity or unidimensionality of the dimensions in forming a factor. The estimated load factor values are obtained together with the result of the loading factor estimation for each factor variable of the indicators. Figure 2 also shows the path coefficient value between the latent variables. Figure 3 shows the amount of t-value that will be used as a reference for hypothesis analysis. The value of coefficient and t-value can be seen in Table 2.




Figure 2. Loading Factor analysis with SmartPLS

11

A summary of the results of hypothesis testing is shown in Figure 3




Figure 3. Value analysis with SmartPLS

TABLE II. Influence between Latent Variables

Independent Variable	Dependent Variable	Path Coefficient	t-value	criteria t-value>t-tabel =1,96
Project Performance (X1)	Project Owner Satisfaction (Y)	0,711	16,366	Significant
Project Products (X2)	Project Owner Satisfaction (Y)	0,067	2,530	Significant
Project Services (X3)	Project Owner Satisfaction (Y)	0,080	2,941	Significant
Green Construction (X4)	Project Owner Satisfaction (Y)	0,099	2,501	Significant
Work Safety and Health (X5)	Project Owner Satisfaction (Y)	0,279	5,239	Significant

Source: SmartPLS Results

3 Hypothesis testing is done by comparing t-count value of each latent variable with t-table (1,96), that is said significant if t-value latent variable is bigger than t-table (t-value > 1,96). Table 2 shows that the t-value of all variables > 1.96. Meaning all variables: Project performance (X1), Project products (X2), Project services (X3), Green construction (X4) and Work Safety & Health (X5) are stated to have a positive and significant impact on project owner satisfaction (customer).

TABLE III. Determination Coefficient (R²)

Latent Variable	Squared Multiple Correlation (R ²)	Remarks
Variable (X1 to X5)	0,9753	The contribution of independent variable (X1 to X5) to project owner satisfaction (Y) is 97,53%.

Source: SmartPLS Results

2 Based on the data presented in Table 3, it can be seen that the R-S² are value for the customer satisfaction of construction (project owner) is 0.9753. These results explain that the percentage of owner satisfaction can be explained by the research variable of 97.53 percent. While the remaining 2.47 percent is explained by other variables.

III. RESULT AND DISCUSSION

Effect of Project Performance: The project performance is the ability of the contractor to carry out construction work in accordance with the construction work contract. Project performance consists of cost, time and quality indicators. If the lower the project cost, the faster the implementation time and the better quality of the work, the better the project performance and the more satisfying the project owner. The results show that project performance has a positive and significant effect on project owner satisfaction. The findings of this study support the results research of :Agsarini&Wiguna (2015) [3], Huda &Wibowo (2013) [21]; Omran et al., (2012) [22].

Effect of Project Product: The project product is the end result of the development process from planning, engineering, auction and construction of construction projects undertaken by the contractor. The project product consists of aspects; performance, durability, privilege, reliability, consistency, aesthetic and conformance. The results show that the project product has a positive and significant effect on the satisfaction of the project owner. This means that the higher the value of project products, project owner satisfaction will be higher. The findings of this study support the results research of :Sumaga (2013) [23] and Idrus&Sodangi (2011) [24].

Effect of Project Services: The project services are the ability of contractor companies to provide services to project owners in all aspects. Project service variables conform to the popular service quality concept. ServQual states that service quality has indicators that consist of: reliability, responsiveness, assurance, empathy, tangible, understanding, competence, credibility and communication. The results of this study indicate that project services have a positive and significant impact on project owner satisfaction. This means that the higher the level of project services, the project owner's satisfaction will increase. The findings of this study support the Sumaga study (2013) [23] and Idrus&Sodangi (2011) [24].

Effect of Green Construction: The green construction is the technology and techniques used by contractors in the construction of construction projects oriented to the project cycle by considering energy, pollution, water, air, materials, equipment that have an impact or risk to the environment. Green construction aspects of the construction project is a global issue and has at least five elements of the indicator consisting of indicators: technology, project cycle, energy saving, pollution, material and efficiency. The results showed that green construction gave positive and significant influence to project owner's satisfaction. This means that the more concerned the contractor to the project environment, the project owner's satisfaction is increasing. The findings of this study support the results of a study by Colliver et al. (2009) [7]; Huda et al. (2013) [5] and based on research by Devia& Huda (2012) [25].

Effect of Health& Safety Works : The involvement and active role of the management of contractor companies in formulating programs, shaping culture and realizing kelamatan and occupational health in the construction project environment, accompanied by high commitment to realize the health and safety of project environment during the project. This construction and health & safety works variable is a contractor's competency dimension consisting of 5 indicators elements, namely: top management commitment, rules and procedures, communication, worker competence, worker involvement and work environment. The results showed that health and safety work have positive and significant impact to the project owner's satisfaction. This finding is consistent with the results of research by Wicke et al. (2012)[4] and Huda &Wibowo (2013)[21]. The better the contractor's health and safety management the more satisfying the project owner.

CONCLUSION

To improve the satisfaction of the project owner or the construction customer or the user of the known service, the contractor company in Indonesia should perform performance improvement in several ways: project performance, project products, project services, green construction project implementation, health and safety during project implementation takes place. The results of this study are suggested to be developed by extending the location and respondents research.

REFERENCES

- [1] Tjiptono, Fandian Gregorius Candra, Service, Quality and Satisfaction, Yogyakarta: Andi Offset. 2005.
- [2] Assauri, Sofjan, Customer Service Yang Baik Landasan Pencapaian Customer Satisfaction, Jakarta: Usahawan No. 01 TH. XXXII, Januari, hal. 25-30. 2003
- [3] Agsarini, I. Wiguna, I.P.A. Pengaruh Faktor Kondisi Proyek terhadap Kinerja Proyek Konstruksi. Prosiding Seminar nasional Manajemen Teknologi XXII. Program Studi MM-ITS. 2015
- [4] Wicke Y.C., Ludfi, D., Armanu, T., Pengaruh Budaya Keselamatan dan Kesehatan Kerja (K3) Terhadap Kinerja Proyek Konstruksi. Jurnal Rekayasa Sipil, Vol. 6, No. 1 (2012), hal. 83-95. 2012
- [5] Huda, M. Rini, T.S. Paing, J. Purwito, A. Analysis of Important Factors Evaluation Criteria for Green Building. The International Journal Of Engineering And Science (IJES). ISSN (e): 2319 – 1813 ISSN (p): 2319 – 1805. 2013
- [6] Harimurti, Putu. G. Green Construction, <http://putuhari.wordpress.com/green-construction/> (21 Agustus 2017). 2008
- [7] Collier Rosemary A., Jason R. Busch, & Janet F. Jacobs. Tax and Financial Incentives for Green Building, Los Angeles Lawyer, Vol 20, No 15. 2009
- [8] Wijayanti. Strategi Meningkatkan Loyalitas Melalui Kepuasan Pelanggan (Studi Kasus Produk Kartu Seluler Prabayar mentari-Indosat Wilayah Semarang), Program Studi Magister Manajemen, Universitas Diponegoro Semarang. 2008
- [9] Indra D.A., Gunarsih I., Pengaruh Kualitas Pelayanan Terhadap Kepuasan Nasabah Kredit Perorangan dan Kelompok : Studi Kasus Pada BPR Bank Pasar Kabupaten Karanganyar, Program Pasca Sarjana Universitas Muhammadiyah Surakarta. 2006.
- [10] Wiyono A.S., Chandrarin G., 2007., Studi Tentang Kualitas Pelayanan dan Kepuasan Konsumen di Rumah Sakit Islam Manisrenggo Klaten., Program Magister Manajemen Universitas Muhammadiyah, Surakarta. 2007.
- [11] Praptiwi A., Pengelolaan Kepuasan Pelanggan Dalam Pelayanan Kesehatan, Materi Pelatihan dan Workshop Manajemen Keperawatan di RSUD "45" Kuningan, Jawa Barat pada tanggal 13 Mei 2009.
- [12] Prasetya, N.A., Analisa Tingkat Kepuasan Pasien Rawat Jalan Terhadap Kualitas Pelayanan Informasi Obat Apotik Instalasi Farmasi Rumah Sakit Umum Daerah Dr. Muwardi Surakarta, Fakultas Farmasi, Universitas Muhammadiyah, Surakarta. 2008.
- [13] Manullang I., Pengaruh Kualitas Pelayanan Terhadap Kepuasan Pelanggan Jasa Penerbangan PT. Garuda Indonesia Airlines di Bandara Polonia Medan, Thesis Program Pasca Sarjana Universitas Sumatera Utara, Medan. 2008.
- [14] Mutaqin, A., Pengaruh Kualitas Pelayanan dan Fasilitas Terhadap Kepuasan Pelanggan Bus PO. Timbul Jaya di Wonogiri., Thesis Program Pasca Sarjana (S-2) Universitas Diponegoro, Semarang. 2006.
- [15] Widyartie, L., Analisis Hubungan Tingkat Pelayanan dengan Tarif Pelayanan Jasa Penumpang Pesawat Udara (PJP2U) Domestik di Bandar Udara Internasional Soekarno Hatta Jakarta. Thesis Program Pasca Sarjana (S-2) UPN Jakarta. 2007.
- [16] Fahmi H.A., Analisis Pengaruh Kualitas Pelayanan Terhadap Kepuasan Pelanggan Pada Perusahaan Transportasi Garuda Indonesia Airways di Jakarta. Fakultas Ekonomi UPN Veteran, Jakarta. 2009
- [17] Chairunnisa. Hubungan Kinerja Organisasi dan Kualitas Pelayanan Trans Jakarta-Busway Dengan Tingkat Kepuasan Pelanggan Pengguna Jasa Trans Jakarta-Busway (Studi Kasus : Pada Trans Jakarta-Busway Koridor IV Pulo Gadung Dukung Atas Jakarta), Program Studi Ilmu Administrasi Negara (S-1), Universitas Diponegoro, Semarang. 2008.
- [18] Munawaroh M., Analisa Pengaruh Kualitas Jasa Terhadap Kepuasan Pada Industri Pendidikan di Yogyakarta, Jurnal Siasat Bisnis Edisi, Universitas Muhammadiyah Yogyakarta, Vol. 2, No. 5, Tahun. 2005, hal. 119-134. 2005
- [19] Wang I.M., Shieh C.J., The Relationship Between Service Quality and Customer Satisfaction : The Example of CJCU Library, Journal of Informantian and Optimization Sciences, Vol. 27 (2006), No. 1, pp. 193-209. 2006
- [20] Natalisa D., Survey Kepuasan Pelanggan Program Studi Magister Manajemen Universitas Sriwijaya, Jurnal Manajemen & Bisnis Sriwijaya Vol. 5, No 9 Juni 2007, hal 83-94. 2007.
- [21] Huda, M. & Wibowo, M.A., Strategies to Increase Performance and Sustainability of Construction Services Company in East Java Indonesia, Journal of Basic and Applied Scientific Research, Vol. 3, No. 6, pp. 741-747. 2013.
- [22] Omran, A., Abdalrahman, S., & Pakir, A. K. Project Performance in Sudan Construction Industry : A Case Study. Global Journal of Accounting and Economic Research. 2012.
- [23] Sumaga, A.U. Analisa Kepuasan Pengguna Jasa Terhadap Penerapan Rekayasa Konstruksi Profesional Ruko di Kawasan Business Park Kota Gorontalo. Jurnal Ilmiah Media Engineering Vol.3, No. 1 pp.6-13. 2013.
- [24] Idrus, B.A and, Sodangi, M, Framework for evaluating quality performance of contractor in Nigeria. International journal of Civil and Environmental Engineering, Vol (10), No.01, 2011.
- [25] Devia, S. Huda, M. 2012. Identifikasi Faktor-Faktor Penting Dalam Implementasi Bangunan Ramah Lingkungan Pada Proyek Konstruksi di Kota Surabaya. Skripsi S-1 Program Studi Teknik Sipil, Fakultas Teknik, Universitas Wijaya Kusuma Surabaya. 2012.
- [26] Maholtra, Naresh K., Marketing Research, Fifth Edition, Prentice-Hall Inc., New York. 2008

The effect of Project Performance to Satisfaction of The Project Owner

ORIGINALITY REPORT

16%

SIMILARITY INDEX

10%

INTERNET SOURCES

7%

PUBLICATIONS

14%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to School of Business and
Management ITB

Student Paper

5%

2

Submitted to Barry University

Student Paper

2%

3

Submitted to Universitas Diponegoro

Student Paper

2%

4

www.stiekhad.ac.id

Internet Source

2%

5

Submitted to iGroup

Student Paper

1%

6

repository.uin-malang.ac.id

Internet Source

1%

7

Submitted to Universitas 17 Agustus 1945
Surabaya

Student Paper

<1%

8

hal.archives-ouvertes.fr

Internet Source

<1%

9	erepository.uwks.ac.id Internet Source	<1 %
10	Submitted to London School of Marketing Student Paper	<1 %
11	Submitted to Universiti Tenaga Nasional Student Paper	<1 %
12	Submitted to University of Portsmouth Student Paper	<1 %
13	www.idosi.org Internet Source	<1 %
14	core.ac.uk Internet Source	<1 %
15	Submitted to Covenant University Student Paper	<1 %

Exclude quotes Off
Exclude bibliography On

Exclude matches Off