

## DAFTAR PUSTAKA

- Badan Pusat Statistik (BPS). (2020). *Statistik Penduduk Lanjut Usia*. Badan Pusat Statistik.
- Becker, N. B., Jesus, S. N., João, K. A. D. R., Viseu, J. N., & Martins, R. I. S. (2017). Depression and sleep quality in older adults: a meta-analysis. *Psychology, Health and Medicine*, 22(8), 889–895. <https://doi.org/10.1080/13548506.2016.1274042>
- Beşirli, A. (2020). Relationships among Anxiety and Depression Levels with Sleep Quality and Insomnia Severity in Geriatric Patients with Depression. *Southern Clinics of Istanbul Eurasia*, 31(3), 235–242. <https://doi.org/10.14744/scie.2020.48403>
- Bhowmik, D., Sampath Kumar, K. P., Srivastava, S., Paswan, S., & Dutta, A. S. (2012). *THE PHARMA INNOVATION Depression -Symptoms, Causes, Medications and Therapies*. 1(3). [www.thepharmajournal.com](http://www.thepharmajournal.com)
- Crivello, A., Barsocchi, P., Girolami, M., & Palumbo, F. (2019). The Meaning of Sleep Quality: A Survey of Available Technologies. *IEEE Access*, 7, 167374–167390. <https://doi.org/10.1109/ACCESS.2019.2953835>
- Donohue, M. R., & Luby, J. (2016). Depression. In *The Curated Reference Collection in Neuroscience and Biobehavioral Psychology*. <https://doi.org/10.1016/B978-0-12-809324-5.23584-0>
- Draft, F. (2009). Depression in Adults ( update ) Depression : the treatment and management of depression in adults. *Depression*.
- Dragioti, E., Levin, L. Å., Bernfort, L., Larsson, B., & Gerdle, B. (2017). Insomnia severity and its relationship with demographics, pain features, anxiety, and depression in older adults with and without pain: Cross-sectional population-based results from the PainS65+ cohort. *Annals of General Psychiatry*, 16(1), 1–10. <https://doi.org/10.1186/s12991-017-0137-3>
- El-Gilany, A. H., Elkhawaga, G. O., & Sarraf, B. B. (2018). Depression and its associated factors among elderly: A community-based study in Egypt. *Archives of Gerontology and Geriatrics*, 77(November 2017), 103–107. <https://doi.org/10.1016/j.archger.2018.04.011>
- Endeshaw, Y., & Bliwise, D. L. (2012). Sleep disorders in the elderly. *Principles and Practice of Geriatric Psychiatry*, June, 1166–1202.
- Febrianto, Hariyanto, A. (2017). Hubungan Antara Kualitas Tidur Dengan Tingkat Depresi Pada Lansia Di Posyandu Lansia Tunggal Wulung Lowokwaru Kota Malang. *Nursing News*, 2(2), 118–123.

- Fillit, H. M., Rockwood, K., & Woodhouse, K. (2010). Brocklehurst's Textbook of Geriatric Medicine and Gerontology. In *Brocklehurst's Textbook of Geriatric Medicine and Gerontology*. <https://doi.org/10.1016/B978-1-4160-6231-8.X0001-3>
- Gulia, K. K., & Kumar, V. M. (2018). Sleep disorders in the elderly: a growing challenge. *Psychogeriatrics*, *18*(3), 155–165. <https://doi.org/10.1111/psyg.12319>
- Hu, Z., Zhu, X., Kaminga, A. C., Zhu, T., Nie, Y., & Xu, H. (2020). Association between poor sleep quality and depression symptoms among the elderly in nursing homes in Hunan province, China: A cross-sectional study. *BMJ Open*, *10*(7), 1–8. <https://doi.org/10.1136/bmjopen-2019-036401>
- Kamali Zarch, M., Sorbi, M. H., Zaidel, C., Musich, S., Karl, J., Kraemer, S., Yeh, C. S., Silva, M. R. da, Ferretti, F., Pinto, S. da S., Tombini Filho, O. F., Setyawan, A. B., Liu, R. Q., Bloom, M. S., Wu, Q. Z., He, Z. Z., Qian, Z., Stamatakis, K. A., Liu, E., ... Gerdle, B. (2020). Insomnia severity and its relationship with demographics, pain features, anxiety, and depression in older adults with and without pain: Cross-sectional population-based results from the PainS65+ cohort. *PLoS ONE*, *8*(1), 1–8. <https://doi.org/10.1089/pop.2019.0165>
- Kelvin, R. (2016). Depression in children and young people. In *Paediatrics and Child Health (United Kingdom)*. <https://doi.org/10.1016/j.paed.2016.08.008>
- Kessler, R. C., & Bromet, E. J. (2013). The epidemiology of depression across cultures. In *Annual Review of Public Health*. <https://doi.org/10.1146/annurev-publhealth-031912-114409>
- Kim, K. W., Kang, S. H., Yoon, I. Y., Lee, S. D., Ju, G., Han, J. W., Kim, T. H., Lee, C. S., & Kim, T. (2017). Prevalence and clinical characteristics of insomnia and its subtypes in the Korean elderly. *Archives of Gerontology and Geriatrics*, *68*, 68–75. <https://doi.org/10.1016/j.archger.2016.09.005>
- Krishnan, V., & Nestler, E. J. (2008). The molecular neurobiology of depression. In *Nature*. <https://doi.org/10.1038/nature07455>
- Langlieb, A. M., & DePaulo, J. R. (2008). Etiology of depression and implications on work environment. *Journal of Occupational and Environmental Medicine*, *50*(4), 391–395. <https://doi.org/10.1097/JOM.0b013e31816fca08>
- Liu, R. Q., Bloom, M. S., Wu, Q. Z., He, Z. Z., Qian, Z., Stamatakis, K. A., Liu, E., Vaughn, M., Lawrence, W. R., Yang, M., Lu, T., Hu, Q. S., & Dong, G. H. (2019). Association between depressive symptoms and poor sleep quality among Han and Manchu ethnicities in a large, rural, Chinese population. *PLoS ONE*, *14*(12), 1–14. <https://doi.org/10.1371/journal.pone.0226562>
- Maina, G., Mauri, M., & Rossi, A. (2016). Anxiety and depression. *Journal of Psychopathology*, *22*(4), 236–250. [https://doi.org/10.5005/jp/books/18030\\_26](https://doi.org/10.5005/jp/books/18030_26)

- Nirmala, D. M. S., & Lesmana, C. B. J. lesmana. (2019). PADA LANJUT USIA DI PUSKESMAS ABIANSEMAL II , BADUNG Bagian Psikiatri Fakultas Kedokteran Universitas Udayana Lanjut usia merupakan usia yang telah dicapai oleh seseorang lebih dari 60 tahun . Gangguan adalah depresi yang ditandai dengan suasana hati tert. *E-Jurnal Medika*, 8(2), 7–13.
- Ouyang, P., & Sun, W. (2019). Depression and sleep duration: findings from middle-aged and elderly people in China. *Public Health*, 166, 148–154. <https://doi.org/10.1016/j.puhe.2018.10.007>
- Prasetya, I. G. A. Y., & Aryastuti, N. L. P. (2019). Proporsi kejadian depresi pada lansia di wilayah kerja Puskesmas Karangasem I, Bali-Indonesia. *Intisari Sains Medis*, 10(1), 10–17. <https://doi.org/10.15562/ism.v10i1.317>
- Press, Y., Punchik, B., & Freud, T. (2018). The association between subjectively impaired sleep and symptoms of depression and anxiety in a frail elderly population. *Aging Clinical and Experimental Research*, 30(7), 755–765. <https://doi.org/10.1007/s40520-017-0837-1>
- Raniti, M. B., Allen, N. B., Schwartz, O., Waloszek, J. M., Byrne, M. L., Woods, M. J., Bei, B., Nicholas, C. L., & Trinder, J. (2017). Sleep Duration and Sleep Quality: Associations With Depressive Symptoms Across Adolescence. *Behavioral Sleep Medicine*, 15(3), 198–215. <https://doi.org/10.1080/15402002.2015.1120198>
- Setyawan, A. B. (2017). Jurnal ilmu kesehatan vol. 5 no. 1 juni 2017. *Jurnal Ilmu Kesehatan*, 5(1), 1–8.
- Silva, M. R. da, Ferretti, F., Pinto, S. da S., & Tombini Filho, O. F. (2018). Depressive symptoms in the elderly and its relationship with chronic pain, chronic diseases, sleep quality and physical activity level. *Brazilian Journal Of Pain*, 1(4), 293–298. <https://doi.org/10.5935/2595-0118.20180056>
- Thapar, A., Collishaw, S., Pine, D. S., & Thapar, A. K. (2012). Depression in adolescence. In *The Lancet*. [https://doi.org/10.1016/S0140-6736\(11\)60871-4](https://doi.org/10.1016/S0140-6736(11)60871-4)
- Thichumpa, W., Howteerakul, N., Suwannapong, N., & Tantrakul, V. (2018). Sleep quality and associated factors among the elderly living in rural Chiang Rai, northern Thailand. *Epidemiology and Health*, 40, e2018018. <https://doi.org/10.4178/epih.e2018018>
- Wang, Y. M., Chen, H. G., Song, M., Xu, S. J., Yu, L. L., Wang, L., Wang, R., Shi, L., He, J., Huang, Y. Q., Sun, H. Q., Pan, C. Y., Wang, X. Y., & Lu, L. (2016). Prevalence of insomnia and its risk factors in older individuals: A community-based study in four cities of Hebei Province, China. *Sleep Medicine*, 19, 116–122. <https://doi.org/10.1016/j.sleep.2015.10.018>

- Wu, C. R., Chen, P. Y., Hsieh, S. H., Huang, H. C., Chen, Y. T., Chen, T. J., & Chiu, H. Y. (2019). Sleep Mediates the Relationship Between Depression and Cognitive Impairment in Older Men. *American Journal of Men's Health*, *13*(250). <https://doi.org/10.1177/1557988319825765>
- Xie, Y., Ma, M., Wu, W., Zhang, Y., Zhang, Y., & Tan, X. (2021). Factors associated with depressive symptoms among the elderly in China: Structural equation model. *International Psychogeriatrics*, *33*(2), 157–167. <https://doi.org/10.1017/S1041610220001398>
- Ypsilanti, A., Lazuras, L., Robson, A., & Akram, U. (2018). Anxiety and depression mediate the relationship between self-disgust and insomnia disorder. *Sleep Health*, *4*(4), 349–351. <https://doi.org/10.1016/j.sleh.2018.06.001>
- Zaidel, C., Musich, S., Karl, J., Kraemer, S., & Yeh, C. S. (2021). Psychosocial Factors Associated with Sleep Quality and Duration among Older Adults with Chronic Pain. *Population Health Management*, *24*(1), 101–109. <https://doi.org/10.1089/pop.2019.0165>
- Zhang, J., Zhang, Y., Luan, Z., Zhang, X., Jiang, H., & Wang, A. (2020). A study on depression of the elderly with different sleep quality in pension institutions in Northeastern China. *BMC Geriatrics*, *20*(1), 1–7. <https://doi.org/10.1186/s12877-020-01777-4>
- Zou, Y., Chen, Y., Yu, W., Chen, T., Tian, Q., Tu, Q., Deng, Y., Duan, J., Xiao, M., & Yang, L. (2019). The prevalence and clinical risk factors of insomnia in the Chinese elderly based on comprehensive geriatric assessment in Chongqing population. *Psychogeriatrics*, *19*(4), 384–390. <https://doi.org/10.1111/psyg.12402>